

# Scientific American.

THE ADVOCATE OF INDUSTRY, AND JOURNAL OF SCIENTIFIC, MECHANICAL AND OTHER IMPROVEMENTS.

VOL. XIII.

NEW YORK, SEPTEMBER 4, 1858.

NO. 52.

## NEW PROSPECTUS OF THE SCIENTIFIC AMERICAN.

FOURTEENTH YEAR!

MECHANICS, INVENTORS, MILL WRIGHTS,  
FARMERS AND MANUFACTURERS.

This valuable and widely circulated journal enters upon its FOURTEENTH YEAR on the 11th of September.

It is an Illustrated Periodical, devoted to the promulgation of information relating to the various MECHANICAL AND CHEMICAL ARTS, MANUFACTURES, AGRICULTURE, PATENTS, INVENTIONS, ENGINEERING, MILL WORK, and all interests which the light of PRACTICAL SCIENCE is calculated to advance.

The SCIENTIFIC AMERICAN is printed once a week, in convenient quarto form for binding, each volume being accompanied by a handsome slipcase, with a complete index of contents, and presents an elegant typographical appearance. Every number contains either ten pages of reading matter, abundantly illustrated with from five to eight ENGRAVINGS—all of which are expressly engraved for this publication.

All the most valuable patented discoveries are delineated and described in its issues, so that, as respects inventions, it may be justly regarded as an *Illustrated Repertory*, where the inventor may learn what has been done before him in the same field which he is exploring, and where he may publish to the world a knowledge of his own achievements.

Reports of American Patents granted are also published every week, including official copies of all the PATENT CLAIMS. These Patent Claims are furnished from the Patent Office. Records extensivly for this paper, and published in the SCIENTIFIC AMERICAN in advance of all other publications.

The contributions to the SCIENTIFIC AMERICAN are among the most eminent scientific and practical men of the times. The editorial department is universally acknowledged to be conducted with great ability, and to be distinguished, not only for the excellence and truthfulness of its discussions, but for the fearless manner with which error is combated and false theories are exploded.

Mechanics, Inventors, Engineers, Chemists, Manufacturers, Agriculturists, and people in every profession of life, will find the SCIENTIFIC AMERICAN to be of great value in their respective callings. Its counsels and suggestions will be found of great value and utility, especially, according them a continual source of knowledge, the value of which is beyond pecuniary estimate. Much might be added to this Prospectus, to prove that the SCIENTIFIC AMERICAN is a publication which every Inventor, Mechanic, Artisan, and Engineer in the United States should patronize; but the publication is so thoroughly known throughout the country that we refrain from occupying further space to enumerate the reasons why we should have one hundred thousand subscribers instead of twenty-five thousand—which is now our circulation—and leave the matter in the hands of each of our present subscribers to recommend its worth to a neighbor or friend, who may have been so unfortunate as not to have been a subscriber heretofore.

TERMS OF SUBSCRIPTION—Two Dollars a Year, or One Dollar for Six Months.

### CLUB RATES.

Five Copies, for Six Months.....	\$4
Ten Copies, for Six Months.....	\$8
Ten Copies, for Twelve Months.....	\$15
Fifteen Copies, for Twelve Months.....	\$22
Twenty Copies, for Twelve Months.....	\$28

For all clubs of Twenty and over, the yearly subscription is only \$1 40. Names can be sent in at different times and from different Post Offices. Specimen copies will be sent gratis to any part of the country.

Southern, Western and Canadian money or Post Office stamps, taken at par for subscriptions. Canadian subscribers will please to remit twenty-six cents extra on each year's subscription, to pay postage.

MUNN & CO., Publishers and Patent Agents,  
No. 128 Fulton street, New York.

### Improved Centering Lathe.


The lathe which is the subject of our illustration is so constructed as to bore centers in line with the geometrical center of any desired part of both regular and multiform objects. It often occurs that the object to be centered is of such form that some of its sections are eccentric to others, and it is indispensable that the centers be bored not concentric with the end, but eccentric to it, and concentric with some particular part which may be in the middle or more or less distant from the end. An object having some of these peculiarities is seen at I, Fig. 1. The object above explained, which has been hitherto accomplished by much manual labor, these inventors—G. Henderson and J. Steeple, of Alleghany City, Pa.—effect by the machine shown in perspective in Fig. 1.

The article to be centered is supported in the lathe by the part with which the centers are to be bored, in one of the concentric chucks, which are combined with a lathe and boring tool in line with the centers of the chuck.

A is the frame of the lathe, having a head, B, in which a spindle, C, revolves, holding a boring tool, D, by means of cone pulley, E.

### HENDERSON & STEELE'S CENTERING LATHE.

Fig. 1




The tool, spindle and pulley are moved back and forth by the screw, G, and handwheel, F. H H are two concentric chucks made to slide along the bed of the lathe, to which they can be secured in any position by screws, J; a and b are hand wheels to secure the object in the chuck after it has been adjusted by the screws seen in Fig. 2, which is a front view of a chuck.

The operation is simple, the piece, I, being

secured in the chucks, H, in the desired position; the boring tool is brought in contact with it, bores a center coincident with the geometrical center of the chucks, without reference to the shape, size, or position of the object.

This lathe was patented by the inventors July 6, 1858, and by addressing them as above, any information or machines can be obtained.

### BLAKE'S STONE BREAKER.



The great necessity which exists for a good and efficient stone-breaker is appreciated by all engineers, roadmakers, and lime burners, and at last the want has been supplied by Eli W. Blake, of New Haven, Conn. The qualities necessary in a good and efficient machine are that it should be strong, durable, and compact, and that it should exercise a great force through a small space. The stone-

breaker which is the subject of our illustration fulfills all these conditions, and not only breaks the stone or other hard substance, but delivers them nearly all of equal size, which can be easily regulated by the attendant or operator, placing in breaking blocks of proper size.

Our illustration is a perspective view of one of these machines resting on two wooden

blocks, A, the rest of the machine being cast iron. B and C are supports of the frame, C, B being also the box or space in which the crushing jaw works. D is a lever, one end of which rests upon B, and the other is held in a link, E, which hooks at F on to a crank, G, rotated by a fly wheel, H, and handle, I, or other means. In a semi-circular recess in D, the piece, K, fits, and two pieces, J, one each side of N. These pieces have rounded ends, and they fit or move in semi-circular grooves in the back of the frame, o, and the breaking jaw, L. This jaw is of chilled iron, as are the block, M, and side blocks, a. From the jaw, L, a rod, n, extends back, and a spring, p, has always a tendency to draw it back nearer the back, o. The jaws are nearer each other at the bottom than at the top, so that as the stones are dropped between the jaws they will first be broken a little, and as they fall down between the jaws by their own gravity, they will be broken more, until they are sufficiently small to pass out on to a screen beneath, or on to a simple heap.

The operation is simple and perfect. The rotation of the wheel elevates the link, and with it the lever, D, and piece, K, which presses J out, and so pushes L nearer M, the force exerted breaking the stones between the curved surfaces of the jaws. There has been one of these stone-breakers at the Central Park in this city some time, where it has given the greatest satisfaction.

It was patented June 15, 1858, and any further information may be had by addressing the inventor as above.

### Effect of Heat upon Meat.

Professor Johnston, in his "Chemistry of Common Life," says that a well cooked piece of meat should be full of its own juice, or natural gravy. In roasting, therefore, it should be exposed to a quick fire, that the external surface may be made to contract at once, and the albumen to coagulate, before the juice has had time to escape from within. The same observations apply to boiling; when a piece of beef or mutton is plunged into boiling water the outer part contracts, the albumen which is near the surface coagulates, and the internal juice is prevented either from escaping into the water by which it is surrounded, or from being diluted or weakened by the admission of water among it. When cut up, therefore, the meat yields much gravy, and is rich in flavor. Hence a beefsteak or mutton chop is done quickly, and over a quick fire, that the natural juices may be retained. On the other hand, if the meat be done over a slow fire its pores remain open, the juice continues to flow from within as it has dried from the surface, and the flesh pines and becomes dry, hard, and unsavory. Or, if it be put in cold and tepid water, which is afterwards brought to a boil, much of the albumen is extracted before it coagulates, the natural juices for the most part flow out, and the meat served is in a nearly tasteless state. Hence to prepare good boiled meat it should at once be put into water already brought to a boil. But to make beef tea, mutton broth, and other meat soups, the flesh should be put into cold water, and this afterwards very slowly warmed, and finally boiled. The advantage derived from simmering—a term not unfrequent in cookery books—depends very much upon the effects of slow boiling, as above explained.

AN ELEPHANTINE PASSENGER.—Amongst the passengers at the Lyons (France) railway terminus, a short time since, was an elephant, booked from Abyssinia to Paris.

Issued from the United States Patent Office  
FOR THE WEEK ENDING AUGUST 24, 1858.

[Reported officially for the Scientific American.]

\* Circulars giving full particulars of the mode of applying for patents, size of model required, and much other information useful to inventors, may be had gratis by addressing MUNN & CO., Publishers of the SCIENTIFIC AMERICAN, New York.

MACHINERY FOR MAKING ROPE—Newton Adams, of Latrobe, Pa., N. Y.: I do not claim broadly the idea of making the flyers which carry the capstan and reel revolve, when the bearings of the strand flyers are stationary.

Nor do I claim the giving of rotary motion to the bearings of the strand flyers, when the bearings of the flyers which carry the capstan and reel are stationary.

But I claim the combination of a revolving flyer containing a capstan, F, and reel, G, with the revolving strand flyers, B, revolving around the laying spindle, C, substantially as and for the purposes set forth, producing and controlling the rotary motion of the strand spindles or flyers on their own axis, by means of the stationary or moving belt, L, acting on pulleys on the said spindles or flyers, the pulleys, N, worm wheel, U, and stationary or moving endless screw, Z, the whole being combined to operate substantially as set forth.

[This invention consists in the addition to the sun and planet rope machine of a revolving coiler, flyer or reel, so applied and operated as not only to coil up the rope as fast as it is laid by the planetary motion, but also give it an additional twist, thus enabling a much greater quantity of rope to be produced than can be made in the sun and planet machine, as ordinarily constructed, in which the quantity produced is limited by the velocity of the planetary revolution of the strand spindles around the laying spindle, which velocity cannot be safely increased beyond a certain degree, owing to the tremendous centrifugal force generated. By giving the revolving coiler, flyer or reel a rotary motion at the same velocity as the laying spindle, this machine will make, in a given time, twice the quantity of rope that can be made by the same machine without it. The machine is beautifully designed, and so simple that there is very little mechanism to be seen about it.]

VAPOR LAMP BURNERS—Solomon Andrews, of Perth Amboy, N. J.: I claim, first, the combination of the wick tube, the gas chamber, and the calorific conductors in a gas lamp as described, or its equivalent.

Second, I claim a cotton, or other fibrous wick, made hollow by a wire gauge tube or its equivalent, for the uses and purposes specified.

LATHES FOR TURNING BEADED WORK—Frederick Baldwin, of South Wardsboro', Vt.: I am aware that hollow mandrels and rotating cutter disks have been previously used, and also that movable cutters operated by patterns have been used and arranged in various ways; therefore do not claim, separately and irrespective of any one part, the parts mentioned.

But I claim, first, The stationary mandrel, H, provided with the movable or adjustable dies, d, and spurs e, rotating cutter disks, F, G, provided respectively with the cutters, I, C, the feeding nut, f, and the rotating pattern, Q, actuating the cutter, C, through the medium of rod, X, colars, Y Z, and plate, B, the whole being combined and arranged to operate substantially as and for the purpose set forth.

Second, The guide, I, and wheel, K, provided with the stop pin, l, pins, m, and base, n, in combination with the others, as set forth, by the spring, t, the lever, W, nut, V, and collars, U U', provided with the pins, v, the whole being combined and arranged substantially as and for the purpose specified.

Third, The feeding nut, f, placed in the cutter disk, F, in combination with the stationary mandrel, H, and cutter disk, G, substantially as described.

[This invention consists in the employment of a rotatting pattern in connection with rotating cutter disks, hollow stationary mandrel, and feeding device, the whole being arranged so that the several parts are made to work automatically, and a simple machine obtained—one capable of working rapidly, and at the same time performing its work in a perfect manner. The invention is designed for turning beaded work on cylindrical sticks, such as broom and tool handles, chair rounds, &c., the sticks being taken in the rough, and turned and beaded or ornamented simultaneously.]

RAILROAD RAILS—Sidney A. Beers, of Brooklyn, N. Y.: I do not claim the exclusive use of cast or other iron as a material for railway track.

But I claim the construction of cast or other iron rails, as set forth, when combined in their formation with the lugs or cleats, b b and c c, as shown, for the purpose of receiving a flat iron plate or wedge for securing the ends of the rails evenly together, and giving the rail additional strength at the point of connection.

SPINNING MULES—James H. Brickett, of Taunton, Mass.: I claim, first, Arranging the winding gear, H, loose on a stationary bushing, C, or its equivalent, which surrounds and forms one of the bearings of the winding shaft, and applying a pall, E, attached to said gear, a spring, D, fitted to the bushing, to engage the gear, with a ratchet wheel, F, fast winding shaft, in the manner described, whereby the winding shaft and winding gear are permitted to be entirely disconnected during the operation of backing off.

Second, The combination of the adjustable cam, A, on the shaft, P, and pawl, E, for working off the stationary bushing, C, or its equivalent, surrounding the winding shaft, the pawl, E, on said pulley, the clip spring, D', on the bushing, and the ratchet wheel, E, on the winding shaft, the whole operating together substantially as described to effect the backing off of the yarn.

And in combination with the pawl, E', I claim the pin, G, applied as described, to disengage said pawl, and permit the reversal of the shaft to wind on the yarn.

Third, The combination of the brake wheel, Y, on the winding shaft, the brake, X, and tooth, B, on the belt shifter, substantially as described, for the purpose of stopping or reducing the momentum of the winding shaft previous to the operation of backing off.

[These improvements are especially adapted to the self-acting mule patented by William Mason, and their object is to effect the "backing off" in a positive manner.]

ADDOMETER—Jabez Burns, of New York City: I claim first, The toothed wheels, I I I I I I, on the sides of the finger wheels, I I I I I I, in combination with the toothed wheels, b b b b b b, and stop, J, substantially as and for the purposes set forth.

Second, The particular arrangement in combination with the above, of pins, i i i i, on the sides of the finger wheels, I I I I I I, toothed segments, K K K K K K, and pins, c, on the sides of the registering cylinders, a a a a a a, a 4 a 5, and stop, J, substantially as and for the purposes set forth.

[This is a simple and good machine for adding numbers, and it is quick and sure in its operation.]

COUPLING FOR RAILROAD CARS—Jesse Campbell, V. B. Leghsifer, and Patrick Shannon, of Steubenville, Ohio: We claim the link, A, made round at the point, with square offsets on each side, in combination with the jaws, B, the spring, C, chain, D, and hand wheel, E, or its equivalent, when constructed, arranged and operated in the manner and for the purpose substantially as described.

APPARATUS FOR COOLING AND VENTILATING GRAIN—Charles D. Clark, of Chicago, Ill.: I claim the arrangement of cylinder, B, provided with rectangular ports, and the blast pipe, A, and separating cone, F, existing in connection with the blast through the E, substantially as and for the purpose specified.

ROOFING COMPOSITIONS—Abram Davis, of Chicago, Ill.: I am aware that nearly all the ingredients which I use have been before used for like purposes; but they were used in a manner and with solvents essentially different. I do not, therefore, claim them broadly or separately.

Neither do I claim the apparatus described.

But I claim the method of applying a cement having the composition set forth, namely, by first saturating canvas, or other suitable fabric for roofing, with asphaltum, softened and tempered with crude kerosene oil, or its equivalent, in the manner mentioned, and secondly, by covering this layer or foundation with a cement formed of india rubber and other ingredients, substantially as set forth and for the purpose specified.

CARPENTER'S WORK-BENCHES—Justin Devore, of Randolph, Pa.: I claim first, In regulating the inclination of the cutting instrument to the angle required, to give the edge of a board a given bevel by raising or lowering one of the jaws of the clamp between which the board is held, substantially as described, or in an equivalent manner.

Second, Combination of the bevel boards, arranged as described, with the jaws of the clamp, for the purpose set forth.

QUARTZ CRUSHERS—A. J. Doolittle, of Nevada Town-ship, Cal.: I do not claim the employment of springs for the purpose of increasing the force of the blow, as this can be seen with many similar machines.

Neither do I claim broadly the openings in the pans.

But I claim arranging the stampers of a quartz crusher in such a manner that they are guided in their up-and-down motion by two springs, which at the same time serve to increase the force of the blow, in combination with pan which are free to rotate under the action of the blow, and which have openings in their sides, the size of which is different for different pans, and depends upon the relative coarseness of the quartz, so that the finer parts of the quartz escape, and the coarser ones are continually exposed to the full force of the blow, the whole being arranged substantially as set forth.

[In this machine flat springs are employed, to which the stampers are connected, for the double purpose of guiding the stampers in their up-and-down motion, and of increasing the force of the blow, and the pans or mortars are so arranged that the finer parts of the quartz or other substance crushed can escape by openings made into the side of the pans, so that the larger lumps are always exposed to the full force of the blow. These openings gradually increase in size in different pans, so as to effect the required degree of fineness by the time the substance has passed through the several pans.]

WASHING MACHINES—William A. Jordan, of Philadelphia, La.: The tub and disk or rubber are well-known and in common use for washing clothes, and I therefore do not claim separately such device.

Second, I claim a cotton, or other fibrous wick, made hollow by a wire gauge tube or its equivalent, for the uses and purposes specified.

THIRD, The employment of an internally toothed endless chain and an externally toothed driving wheel, in combination with an endless elliptoidal guide way, and an endless series of rollers, substantially as and for the purposes set forth.

[This invention is designed to improve tub-washing machines, and provides for the proper adjustment of the rubber while the clothes are being placed in the tub.]

SEWING MACHINE—R. B. Flitt and Milton D. Whipple, of Charlestown, Mass.: We claim, first, The "keel slide," a, beneath the pressure foot operating as set forth, for the purpose specified.

Second, We claim causing the shank of the needle to play vertically in guides, and connecting the pitman directly thereto, as described.

Third, Securing the needle in place by means of the pin, f, when its shank is provided with a notch to insure its proper position with respect to the hook and the tail, as set forth.

Fourth, We claim the peculiar arrangement of the bar, K, and its post, o, with the bent lever, l, and sliding plate, m, and spring, n, operating as and for the purposes set forth.

Second. The ratchet teeth, B B', and spring pawls, F E, combined and arranged in the manner and for the purposes set forth.

Fourth, We claim the arrangement of the beater cylinder, F, the concave, J, the reel, f, and carrying apron, g, all as described and represented, and for the purpose specified.

ROTARY HARROWS—William H. Main, of Liverpool, Ohio: I claim the manner described of causing a harrow to rotate, namely, by means of the standard, E, the slot, H', in the bar, H, and spring, K, operating in the manner set forth.

I also claim the manner of raising the harrow from the ground by means of the adjustable bar, H, and release, L L', as described.

These several devices, combined as described, I claim in combination with a seeding machine, for the purpose set forth.

RAILS FOR SWITCHING CARS OFF THE TRACK—John C. Mathew, of New York City: I claim providing the shoe, A, with two frogs, C and D, in the manner and for the purposes substantially as set forth.

CARTRIDGE FOR FIREARMS—Edwin Gomez and William Mills, of New York City: We do not claim cartridges formed of explosive paper or other material.

And we do not limit ourselves to any particular explosive compound made use of in our cartridge.

But we claim the manner specified of forming cartridges for firearms, and other purposes, by alternating layers of explosive material and paper, or similar substances, for the purpose set forth and specified.

We also claim the winding of string or equivalent material attaching the case to the base of the ball, for the purpose of removing said case and any refuse matter from the barrel, as described and shown.

MACHINES FOR CUTTING UP CORNSTALKS IN THE FIELD—Francis M. Green, of Sullivan, Ill.: I claim the knife cylinder, D, constructed and operating as described, in combination with the supporting wheels, g, and the mechanism for operating the same, the whole arranged substantially as described, for the purposes set forth.

PORTABLE FIELD FENCE—John B. Johnson, of Linden, Ind.: I claim the mode of locking the panels at the top, as described, so as to prevent their being drawn apart longitudinally or endwise; and also the mode of locking the panels at the bottom, as described, so as to prevent them from being pushed or slipped by one another, when the parts are arranged in relation to each other, set forth.

[These improvements are especially adapted to the self-acting mule patented by William Mason, and their object is to effect the "backing off" in a positive manner.]

CROSS-CUT SAWING MACHINE—Albert Heath and Gaynor Hall, of Adam's Center, N. Y.: We claim the lever G, and oscillating platform, D, connected by the rods, F, F, and attached to the saw bar or beam, J, by the pendant, I, the above parts being used in connection with the beam, A, and cross bar, B, for the purpose set forth.

[This invention is more especially designed for sawing logs into cord wood for fuel, and consists in a novel means for operating or applying power to the saw, whereby the weight of the operator is made to assist his muscular strength, and both are applied in the most advantageous manner.]

METALLIC SPRINGS—James Harrison, Jr., of New York City: I claim the coiled spring described, having the several revolutions of the coil approximating to the form of cones, or in other words, having the sides of its several coils inclined to the axis thereof, substantially as set forth.

SEEDING MACHINES—Paul Hildreth, of Beloit, Wis.: It is the arrangement of the cone or graduated pulleys, F and H, and the feed auger, I, in connection with the revolving distributing cylinder, G, and the distributing feeder, C, that I claim as my invention, and no more.

SEWING MACHINES—Elias Howe, Jr., of Brooklyn, N. Y.: Having described my invention, and the manner which I have deemed best for employing the same, I claim to be my invention that it is limited to the use construction described, but that it may be modified as circumstances may render expedient to adapt it to different sewing machines, or to meet the views of different constructors. Thus for example, if a curved shuttle race is employed, as is the case in some machines, the arm, F, may be pivoted at the center of the circle of which the race is an arc, and its extremity may terminate in the recess at the butt of the shuttle, thus driving the latter directly without the intervention of the connecting bar or driver, D.

I am aware that the shuttle of a sewing machine has been operated by a driver, one of its ends in a forepart, but the construction and operation of the mechanism in this case is such as to render it necessary to apply the driving apparatus to the shuttle, and to disconnect it therefrom at each movement of the shuttle.

I do not, therefore, claim imparting motion to a reciprocating shuttle by seizing one of its ends intermittently by a forepart.

But I claim imparting a reciprocating movement to the shuttle of a sewing machine by the application of a driver to one point only of its length, substantially as set forth, in such manner that the driver need not be disconnected from the shuttle.

I also claim guiding the shuttle driver in such manner that it is guided by a race parallel with the shuttle race, or its equivalent, and is at the same time supported and prevented from sinking out of its proper position by pivoting its stock perpendicularly to the table of the machine, in a socket in the arm which imparts motion to it, substantially as set forth.

RUNNING GEAR FOR RAILROAD CARS—James Ingalls, of Grafton, Ohio: I claim first, The manner described of constructing the rollers with long or short axles, so that they shall extend down along the sides of the rails of the railroad, and the axles rest upon said rails substantially and for the purpose set forth.

Second, The employment of an internally toothed endless chain and an externally toothed driving wheel, in combination with an endless elliptoidal guide way, and an endless series of rollers, substantially as and for the purposes set forth.

WASHING MACHINES—William A. Jordan, of Philadelphia, Pa.: We claim, first, The loose valve plug, a, fitted to the seats, c and e, above and below, as set forth.

Second, In combination with this band a reciprocating rotating agitator is used, for the purpose of preventing the seed from clogging, and ensuring the proper discharge of the ground from the seed box.]

PACKAGES FOR DRY GOODS—Alexander Robertson, of Upper Holloway, Middlesex co., England: Patented in England, June 26, 1855: I do not intend to confine myself to any particular kind or description of wood, although I prefer wood of close grain and texture, and in some instances I line or cover the inside of the package with tin foil or paper.

I claim new manufacture and process, and method of manufacture of packages for dry goods, by the combination of wood and iron or other metal, and constructed and made in manner described.

STEAM COOK—Robert Ross and Willard Holland, of Philadelphia, Pa.: We claim, first, The loose valve plug, a, fitted to the seats, c and e, above and below, as set forth.

Second, In combination with this band the valve plug, a, and the shoulder, c, on the stem, b, we claim the nut, d, with its plane and concave faces, n n', as described.

Third, We claim the projecting stem passing through the loose valve plug, and fixed fast to the guides, x x, as set forth.

Fourth, In combination with the valve stem, we claim the upper spring valve, v, as set forth.

MACHINERY FOR BOILING FLOUR—Benjamin D. Sanders, of Holliday's Grove, Va.: I claim depriving superfine flour of fine offal or impurities, by passing it after escape from the hole of the first reel, C1, or in a second reel, C2, apart from the main body of meal or coarse meal and coarse offal in the first reel, substantially as specified.

And I further claim rebolting the coarser grades of fine offal and material, admixed therewith, passing off at the tail end of the second reel, or in a third reel, C3, for restoring to the superfine flour that which belongs to it, and for the more perfect separation, without waste.

HARPOON LANCES—Nathan Scholfield, of Newark, Conn.: The use of a sliding case or a collar carrying guides and wings on the surface of a cylindric projectile, I am aware is usually secured to me by my patent of March 10th, 1857: therefore I do not in this claim their application, but only the peculiar manner of that application to the projectile.

Neither do I claim the use of cushions packing or springs on the projectile or cases, to neutralize the rigid impact of the projectile on the object, or on the range of the projectile for this feature is embraced in the patent granted to me on the 10th of December, 1857.

Neither do I claim the construction of harpoon lances with a joint in its stem, shaft or shank, nor the attachment thereto of a holding line by means of a ring placed on its forward part, outside the bore of the gun, and sliding so as to take a position in the rear when discharged, for this has been previously practiced.

What I claim is, first, The several modes described of attaching the sliding and extension cases, E and F, either with or without spurs, Q, on the anterior part of a cylindric projectile, so as to extend either wholly or partially without the bore of the gun before its discharge, and while the projectile is in its position therein.

Second, Attaching the ring or collar holding the line of a harpoon lance to be fired from a gun to the rear end of a sliding case, F, with or without spurs, Q, and on which a portion of the said line may be coiled if desired, preparatory to being projected, substantially as described.

Third, Connecting a lance head and shank of a harpoon lance to be fired from a gun to a cylindrical shell, by a sliding socket joint, J, so that when forced in or in place the joint shall remain rigid and inactive, but when drawn or forced out, it shall be susceptible of flexibility by turning on its pivot.

BOLT MACHINE—Elisha Simkins, of Alleghany, Pa.: I claim, first, The flexible connecting rod, h, and arrangement of the cylinder, e, the spiral springs, f, and nuts, g, as described and for the purpose set forth.

Second, The arrangement of the lever, l, the ratchet wheel, J, the level wheels, and k, the screw, y, and the cross-head, d, when used in connection with the flexible connecting rod, h, as described and for the purpose set forth.

Third, The arrangement of the compound lever, u, and the pulleys, v, in connection with the lever, l, and stop, x, as described and for the purpose set forth.

Fourth, The arrangement of the stud, b, the stop, r, the levers, p and q, and the bolster, s, as described and for the purpose set forth.

WINDLASS—Samuel N. Smith, of New York City: I claim the lever, L, provided with the rack, K, which gears into the rack, J, in connection with the rods, M and levers, N, N, connected by the links, O, with the arms, II, of the boxes, H H, the whole being arranged for joint operation, as and for the purpose set forth.

[This invention consists in the peculiar means employed for applying or transmitting power to the windlass shaft, whereby the strength of the operators may be applied to the windlass very uniformly, and in the most advantegeous manner.]

GAS REGULATORS—W. G. Sterling, of Bridgeport, Conn.: I do not claim the gasometer attached to a valve, as this is an old device.

First, I claim the described adjustable conical-shaped valve seat, with its cross bar, or its equivalent, and valve attached.

Second, I claim the set screw, in

form or board, C, placed within the box, A, combined and arranged to operate as and for the purpose set forth.

I further claim the particular arrangement of the rack bar, H, pall, I, platform or board, C, and strap or brace, F, as shown, whereby the person that descends solely by his own gravity releases the drum from the brake, and causes the car or basket to ascend, and also by the same means regulates for his descent the pressure of the brake on the drum, as described.

[A drum with a rope and basket attached, a brake and platform, compensating spring, are employed in this invention, so arranged that person can descend from a window in the upper stories of a building with perfect safety, the device being automatic in its action, requiring no attention after it has been once attached to the window sill.]

**WATER METER.**—Franklin A. Tenney, of Concord, N. H.: I claim the arrangement of the shifting weight, c, the spring valves, l, and the pins, K, K, or the equivalent of said parts, with the double chambered vessel, B, substantially in the manner and for the purpose set forth.

**APPARATUS ATTACHED TO STEAM COILS IN VATS.**—John Frageser, of New York City: I do not claim arranging steam coils on shafts or journals to swing to a vertical position, for the purpose of cleaning out the vessels in which they are placed.

But I claim providing ratchets, J, on the peripheries of the couplings, and palls, j, attached to the stationary supply and escape pipes, a, b, to prevent the working loose of the coupled joints by the swinging of the coil within the vessel.

[This invention consists in a novel arrangement of the pipes, journals, and joints of a steam coil, whereby a uniform distribution of heat throughout the whole horizontal area of the boiling or heating vessel is obtained.

Provision is also made for raising the coil to clean the bottom of the vessel, without any danger of disturbing the joints, and great facility is afforded for applying the coil within the vessel.]

**COMPOSITION FOR MINIATURE CASES, &c.**—Mark Tomlinson, of Birmingham, Conn.: I do not claim broadly the employment of shellac in compositions.

But I claim the composition for useful and ornamental articles, made of shellac, Breckenridge or Cannel coal, and ivory black, in about the proportions and in the manner substantially as set forth.

[This composition consists of equal parts, by weight, of shellac, Breckenridge or Cannel coal, and ivory black. The shellac and Cannel coal are first finely pulverized, separately, and the three ingredients are then well mixed together, and fed between a pair of steam heated rollers, one of which rotates at a higher velocity than the other, and thereby ground into a pasty mass, which, while still hot and plastic, is cut or divided by a spatula or other instrument into cakes of sufficient size to form the articles or pieces to be made. These pieces are laid upon a plate or tray, and placed in an oven heated by steam or other agency, and allowed to remain therein a short time, after which they are taken out, and while still hot are placed in steam heated dies of the requisite form to produce the articles or forms desired, and therein subjected to a heavy pressure. The pieces or articles are then allowed to cool in the dies to a degree sufficient to enable them to be taken out without any danger of bending, or otherwise injuring their form.]

**TEMPERING WIRE AND STEEL.**—Henry Waterman, of Brooklyn, N. Y.: I claim the process of hardening steel wire or thin steel, in long sections, being kept under a longitudinal strain by means of the wheel, D D', while passing through the fire in the furnace, C, the guide, H, to conduct the wire directly from the fire unto the hardening bath, in combination with such hardening bath as specified.

**CORN PLANTERS.**—Horace Whittemore, of Kingville, Ohio: I claim the adjustable or articulating frame, C, hinged to the machine, and provided with teeth and blades in combination with the rock shaft, Q, weighted lever, T, and lever, I, when arranged in relation to a seeding machine, substantially in the manner and for the purpose specified.

**CORN SHELLING MACHINE.**—Loren J. Wicks, of Racine, Wis.: I claim the employment of the screen, Q, in the apron, P, in connection with the tube, N, provided with valves, O and O', and grating, T, when the several parts are constructed and arranged with respect to each other, and to the shelling wheel, F, and cylinders, D and D', and operated conjointly therewith, in the manner and for the purpose specified.

**ATTACHMENTS TO ARTIFICIAL LEGS.**—Oliver David Wilcox, of Elmira, N. Y.: I claim providing for the attachment of the sack, H, by means of straps and buckles applied substantially as described.

[This invention consists, firstly, in a certain system of levers connecting the leg with the thigh pieces and foot, for the purpose of controlling the proper operations of the leg and foot in walking. It also consists in the employment of a spring to give elasticity to the ankle joint. It further consists in providing for the adjustment of the sack, which the inventor patented September 30th, 1855, to adapt it to the condition of the stump, by means of straps and buckles.]

**LOCOMOTIVE ENGINES.**—Ross Whanna, of Baltimore, Md.: I do not limit myself to the precise form and construction of the parts which I have described, as these may be varied without affecting the principle of my invention.

But I claim the combination with the smoke box of a locomotive steam engine of a blast pipe, extending from within the lower end of the chimney downwards to near the lower flues, an annular space between the upper end of the blast pipe and the chimney, a diaphragm near the lower end of the blast pipe, and between the latter and the bottom of the smoke box, and a nozzle directing a jet of steam into the blast pipe, the nozzle being of the combination of a ring arranged and operating substantially as described.

I also claim the construction of the diaphragm with its upper surface sloping towards the exhaust nozzle, to cause the coals and cinders to run down by their own gravity beneath the blast pipe, thereby bringing them within the sweep of the draught, and so rendering their discharge more speedy and more certain.

**OBSTETRICAL CHAIRS.**—C. C. Wings, of Newport, Va.: I am aware that obstetric chairs have been used with pads on the seat, and in front of the knee of the patient, and have been operated by means of straps and handles so far as to produce results somewhat analogous to those produced by my arrangement. I therefore do not claim as new any and every arrangement of the pads and straps which would produce like results.

But I claim passing the strap or cord, b, through the standard, H, of the portable chair, at a point on a level, on a level or nearly so with the pad, o, and the cord, a, around a pulley in the back of the chair, and a little above the seat of the chair, so that the strap will be tight, so that the direction of the strap or cords will be in the direction in which the support is most needed, and the counter pressure, produced by the action of the two pads, o and G, may have the fullest effect.

I also claim the adjustable bands slats, c, e, and the foot pieces, J, J, when arranged and combined with a portable chair, substantially as described, for the purpose of adapting the chair to different persons.

**MACHINE FOR SETTING THE STAPLES IN BLIND SLATS.**—James Wyman, of Schaghticoke, N. Y.: I claim, first, the arrangement and combination of the vertically sliding punch, D, spring supporting and stop bar, F, spring feeding slide, G, and grooved sliding bar or anvil, B, substantially as and for the purpose set forth.

Second, In combination with the above, the ratchet teeth, K, of the sliding bar or anvil, B, dog, M, spring pawl, L, and adjustable gauge plate, N, substantially as and for the purposes set forth.

**LOCK.**—Hjalmar Wynblad, of West Hoboken, N. J.: I am aware that revolving wheel plates, with recesses on the periphery to receive the end of a pendular lever, have been used, and do not claim the same.

But I claim the arrangement of tumblers provided with cogs and notches, in connection with a projection on the bolt, and operating in the manner and for the purpose substantially as described.

**WATER CLOSET.**—Isaac Edelman (assignor to G. W. Edelman), of Philadelphia, Pa.: I claim the casing, G, pipe, F, soil pipe, H, and exterior pipe, I, when constructed and arranged with respect to each other, and when communicating with a ventilating pipe or drain, substantially as and for the purpose set forth.

**VALVE GEAR OF STEAM ENGINES.**—James Ferguson, (assignor to himself and Lazelli, Perkins & Co.) of Bridgewater, Mass.: I do not claim any of the mechanism described for operating the cam shafts, as it differs little from the mechanism commonly employed for working valves with a tripping motion, nor do I claim generally, operating valves by cams and yokes.

But I claim the employment of cams, E E', of the form specified, applied in the manner described, to connect the valve stems with the rock shafts, D D', which receive the tripping motion for the purpose set forth.

[This is a useful improvement in valve gear for engines, and cannot well be described without drawings.]

**CHAIN STOPPER.**—Wm. H. Gray, of Dover, N. H., assignor to himself and A. G. Brown, of Salem, Mass.: I claim the improvement in chain stoppers described, which consists in hanging the butt of the pall on bosses cast on the inside of the two supporting standards or ears, in combination with the shoulders, h h, on said pall bearing against said standards, as described, the whole being arranged and operating substantially as specified.

**APPARATUS FOR BOILING, TOASTING, &c.**—H. W. Harkness and W. A. Terry (assignors to themselves and Joseph Sigourney), of Bristol, Conn.: We claim the described broiling and toasting apparatus, consisting of case, C, clock movements, D, arms, B, spindle, A, pins, c, arranged and operating substantially as and for the purpose set forth.

**ANCHOR BALL.**—H. W. Harkness, of Bristol, Conn., assignor to himself and J. W. Bliss, of Hartford, Conn.: What I claim is, as a new article of manufacture, an anchor ball, A, with flukes, C, springs, D, grooves, E, staple, F, substantially in the manner and for the purpose described.

**SWINGING MACHINES.**—T. D. Jackson (assignor to J. W. Thielert), of New York City: I claim, first, the employment of a yielding roller constructed as described, for the purpose of closing the barb of the needle during its movements, substantially as set forth and specified.

Second, And in combination with a yielding roller, the swinging thread guide, to carry the thread in position for the needle to insure the stitch, as set forth.

**CUT-OFF VALVES OF STEAM ENGINES.**—John Jackson Jr., of Newburyport, Mass., assignor to himself and E. H. Ashcroft, of Boston, Mass.: I do not claim the devices or mechanism covered by the patents before mentioned.

But what I claim is my improvement or the combination of the levers, S and T, and the collar, U, as arranged and applied to the rod, R, of the ball governor, and to the slide rod, A, of the inclined plane, C, substantially in manner as specified.

**HORN COLLAR BLOCK.**—B. W. McClure and George March (assignors to B. W. McClure and I. H. Windsor) of Pike Hollow, N. Y.: We are aware that the individual members of this machine are not new, and hence we do not claim them as such.

What we claim is the peculiar arrangement of the mold block, B, and rim setter, C, with the cord, a, and stretcher, D, when the same are constructed, operated and combined in the manner set forth and for the purpose described.

**TRAP FOR ANIMALS.**—Frederick Renthe (assignor to M. Lath), of Hartford, Conn.: What I claim is the notched curved yoke, B, and the application and combination of the various parts to form a rat trap, as set forth and for the purpose substantially as set forth and described.

**CARTER STRAIGHTENER.**—Henry Ridley (assignor to S. P. Thatcher and Walter Stillman), of Hartford, Conn.: I do not claim either of the devices separately considered, as described in my specification, as I am aware that they have been used before separately and for different purposes, as for instance that described and represented in "Nicholson's Operative Mechanic," American edition, p. 357, 358.

But I claim the construction and arrangement of the clamp, I, strap, H, wheel, C, ratchet, E, pawl, G, in the frame work, A B, substantially as and for the purpose described.

**BURNISHING MACHINE.**—L. S. White (assignor to E. W. Sperry, E. Hurlbut and J. H. Ashmead), of Hartford, Conn.: I have described this machine as specially adapted for burnishing spoons, oval handles, &c. It will readily be seen and understood that variations must be made for different kinds of ware, also that the same motion may be produced by different devices. I do not therefore wish to confine myself to a particular way of mode of operating as described, as, for instance, the revolving motion of the jack may be produced by arms, levers, &c., instead of gear. Thus it will be seen by the use of this machine, the work of burnishing, hitherto unpleasant and disagreeable, can be rapidly and perfectly performed by machinery which hitherto has been done successfully only by hand work.

What I claim is the holding or rolling jacks, H, and the oscillating or vibrating stock, F, substantially as and for the manner and for the purpose as described.

**RE-ISSUE.**—**MANUFACTURE OF HARD RUBBER GOOSES.**—Gustavus Cupper, of College Point, N. Y.: Dated July 20, 1855; I claim the combination and arrangement of the vertical center conducting pipe, C, horizontal double chambered double valved receiving cylinder, E, two alternately reciprocating pistons or plungers, F F', and piston connecting and guide rods, G G', substantially as and for the purpose set forth.

**PUMPS.**—Hose Lindsey, of Ashville, N. C.: Dated Dec. 4, 1855: I claim, first, the combination and arrangement of the vertical central conducting pipe, C, horizontal double chambered double valved receiving cylinder, E, two alternately reciprocating pistons or plungers, F F', and piston connecting and guide rods, G G', substantially as and for the purpose set forth.

Second, Effecting the reciprocation of the piston or plungers, F F', by means of a curved inclined plane, I, arranged horizontally on the bottom of the well, substantially as and for the purpose set forth.

**Keeping the Teeth Clean.**

Microscopical examinations have been made of the matter deposited on the teeth and gums of more than forty individuals, selected from all classes of society, in every variety of bodily condition, and in nearly every case animal and vegetable parasites have been discovered.

Of the animal parasites there were three or four species, and of the vegetable, one or two.

In fact, the only persons whose mouths were found to be completely free of them, cleansed their teeth four times daily, using soap. One or two of these individuals also passed a thread between the teeth, to cleanse them more effectually. In all cases the number of parasites was greater in proportion to the neglect of cleanliness. The effect of the application of various agents was also noticed. Tobacco juice and smoke did not injure their vitality in the least. The same was true of the chlorine tooth wash, of pulverized bark, of soda, ammonia, and various other popular detergents.

The application of soap, however, appears to destroy them instantly. We may hence infer that this is the best and most proper specific for the teeth. In all cases where it has been tried it received unqualified commendation. It may also be proper to add that none but the purest white or Castile soap should be used. We have been in the habit of using finely pulverized charcoal for this purpose, and have found it a most excellent dentifrice.

#### First Maple Sugar.

The important discovery that sugar can be made from the maple tree has been attributed to New England, and its date fixed as far back as 1765, in an article which has gone the rounds of the press. This statement has called forth a unanimous, indignant and patriotic protest on the part of the French Canadian press, and with pleasure we give currency to their claim for priority of discovery. They state that maple sugar was in general use in Canada previous to the Revolution, and long before *Dudley's Register* recorded, in 1765, its first manufacture in New England. Indeed, the Jesuit priest Charleroi, in his History of New France (Canada), wrote as early as 1721 an account of the process by which the sugar was obtained, stating that the sugar was unknown to the Indians, thus favoring its French origin. All honor, then, to the French Canadians for the maple sugar, unless our New England contemporaries have records to substantiate their claim beyond the year 1721.

#### Cotton Manufacture.

The best cotton now costs, when delivered either in Providence or Boston, 18½ cents per pound. It has been steadily advancing in price for eight or ten years, notwithstanding a rapid increase of production. In 1848, the crop exported from the United States was 814,274,000 lbs.; the average price was 7·81 cents per lb. The crop of 1846 exported was 1,351,131,701 lbs., at 9·41 cents per lb. The exports of 1857 were 1,048,282,475 lbs., at 12·55 per lb. The home market in 1856 absorbed 640,000 bales of 400 lbs. each, or little less than one-sixth of the entire crop. At present prices, this amount of raw material would be worth \$31,000,000. It is impracticable to ascertain what additional value is given it by the labor, skill and ingenuity bestowed upon the manufacture, but it is probably no exaggeration to estimate the gross proceeds of this branch of industry in the New England States at \$150,000,000 per annum.

#### The Value of Coal.

Ere we wrap up this carboniferous integument of the landscape (says the eloquent Hugh Miller), let us mark to how small a coal field England has, for so many years, owed its flourishing trade. Its area, as I have already had occasion to remark, scarcely equals that of one of the larger Scottish lakes; and yet how many thousand steam engines has it set in motion; how many railway trains has it propelled; how many thousand wagon loads of salt has it elaborated from the brine; how many million tons of iron has it furnished, raised to the surface, smelted and hammered?

It has made Birmingham a great city, the first iron depot of Europe, and filled the country with crowded towns and busy villages. And if one small field has done so much, what may we not expect from those vast basins laid down by Lyell in the geological map of the United States?

#### Important Hint in Washing Clothes.

The *American Agriculturist* asserts that the great secret of the success of nine out of ten of the washing fluids, mixtures, and machines which have been sold over the country for many years past, is not owing so much to the inherent qualities of the articles themselves as to the process of soaking, which they invariably recommend. If people pursue the old-fashioned system of washing will simply take the precaution to throw all the clothing to be washed into water ten or fifteen hours before beginning operations, they will find half the labor of rubbing and pounding saved in most cases. Water is, of itself, a great solvent, even of the oily materials that collect upon clothing worn in contact with the body, but time is required to effect the solution. Every one is aware of the effect of keeping the hands or feet moist for a few hours—the entire external coating of secretion is dissolved. The same effect is produced by soaking for a few hours clothes soiled by the excretory matter of the skin.

**QUEEN VICTORIA ACCEPTING A MECHANIC'S HOSPITALITY.**—The English papers state that Queen Victoria has accepted the offer of Woodsey House, the residence of the Mayor of Leeds (Mr. P. Fairbairn), on her next visit to that town. Mr. Fairbairn is a manufacturer of machinery for woolen mills—a mechanician, in fact. This is probably the first time in the history of England that a reigning sovereign has accepted the hospitalities of any but nobles.

**SOMETHING USEFUL.**—The *Green Lake Democrat*, published at Berlin City, Wis., asserts that there are probably more well preserved volumes of the *SCIENTIFIC AMERICAN* in the United States than of any other weekly publication ever issued, and the causes which have led to their preservation are attributed "its exceeding usefulness as a work of reference upon machinery and patents, its well executed illustrations of new inventions, the clearness with which they are described, and the exceeding beauty of its typography."

**STEAM SLEIGH.**—A Polish exile in Siberia has invented a means of applying steam power to the traction of sleighs, by which journeys can be made with rapidity over the frozen snows and the steppes covered with ice, which abound in the Russian dominions. Such an invention, it seems to us, might be valuable in this country for winter traveling over our broad prairies and ice-bound lakes.

**FALL OF CEILING.**—On the evening of the 16th of July a portion of the rich ceiling of the British House of Lords fell between two noblemen, who had a narrow escape—the falling mass actually grazing the head of the Earl of Shelburne. The fragment which gave way had "Dieu et mon Droit," in gothic characters inscribed upon it.

**PROCESS OF RENDERING LARD.**—Charles Wilson, administrator of Ebenezer Wilson, deceased, has applied to the Patent Office for an extension of the patent granted for the above process. The petition is to be heard at the Patent Office on the 20th of September next. This is an important patent, and much interest is felt in reference to it by parties engaged in the business.

**NEW BULLET CASTING MACHINE.**—A Berlin engineer has, it is said, invented a machine which can be worked by two men in the field, and will turn out 4,000 Minie rifle bullets per hour. Quite as much can be done by well-known machines invented in this country.

**A WINE COMPANY.**—A wine company has just been organized in Alabama, with a capital of \$25,000, all of which has been subscribed. It is called the "Mobile Wine Company," and has for its objects the growth and production of native wine.

**ONE hundred and twenty vessels,** loaded with 20,000 tons of coal, were entered at Boston in one day.

## New Inventions.

## Important Improvement in Steam Boilers.

The amount of fuel which is but half consumed, and remains as coal unburnt in the fire-box of a boiler, or escapes as smoke and carbonic oxyd instead of carbonic acid through the chimney, must, when we consider the number of boilers used for stationary, locomotive and marine engines, be immense. To save fuel has been the attempt of every person who has endeavored to improve the steam engine during the last few years, but the majority of inventions have had relation to attaining greater mechanical perfection in the engine, and although these inventions may do much, yet the chief waste of heat is not in the engine, but in the steam generating apparatus, to which part Mr. F. B. Blanchard has directed his attention. It has been laid down as a principle by one of the most eminent writers on the steam boiler and furnaces, that an artificial draft produced more perfect combustion than a natural one, and the excessive heat of the blast furnace, which, capacity for capacity, burns but little more than the reverberatory, whose heat is much lower, may be adduced as an illustration of the fact, and the invention which is the subject of our illustrations takes the fullest advantage of this principle.

Fig. 1 is a top view of the boiler and superheaters; Fig. 2 is a vertical longitudinal section of the same; Fig. 3 is a front view of the boiler, and Fig. 4 is a cross section of the boiler.

A is the fire-box and B the boiler; C is the front plate of the boiler in which are fire and ash doors, D, that close air tight, so that no air can go through them to supply the furnace, and they are only opened to start the fire or rake the bars, E, which are arranged as seen in Fig. 4. The coal is fed from the deck by means of a feeder, F, which is a tube or spout provided with two valves, a and d. The two arms, c, connected at the top, have between them a roller, b, which, pressing upon a, keeps it tight down, and this being thrown back, a is opened, and coal placed in, so as to fill the space between a and d; a is then closed, and the frame and roller, c b, put over it and d is opened, the coal falling on the distributor, e, which is shaken by the axle, f, passing through stuffing boxes outside the boiler, and so the fuel is projected evenly over the fire. The air is supplied underneath the fire bars by a pipe, H, from an air-pump worked by the engine, and keeping the fire-box full of air at about 1 to 1½ pounds pressure. The tube, G, communicates with H, and by the regulator or the cock, g, a given quantity of air can be supplied above the fire. The products of combustion pass through the tubes, I, into the smoke box, J, and when the fire is lighted the valves, h h', are opened by the lever, j, and rod, i, to produce a direct draft up the chimney, O; when the fire is going the doors are closed, the air sent through from the air-pump, the valves, a and h', closed, and the products of combustion pass through the return flues, K, into the box, L, which is covered with water, and from it through two flues, M, into the superheaters.

The steam when generated passes from the chamber, N, through the pipe, P, into the superheater, Q, and after it has received an additional quantity of heat from the products of combustion, it is conveyed through R to a high pressure engine. From this it comes back through the pipe, P', into the superheater, Q', and after receiving a quantity more heat to compensate for the loss sustained in the high pressure engine, and passes through pipe, R', to the low-pressure beam engine.


The products of combustion, after having heated the steam, are not yet to be thrown away, but are made to pass through tubes, S S', into heaters, T T', where the feed water and feed air are heated to a proper temper-

ture, and they finally pass out by tubes, U U', into a small smoke pipe not over six inches in diameter, from which there issues, not smoke and carbonic oxyd, or flame, but nearly pure carbonic acid, at a temperature but exceeding that of the atmosphere a few degrees, showing the perfection of the combustion in the furnace, and great economy in the application of the heat.

Perhaps the best method of illustrating the many advantages of this arrangement will be to state some data made from hourly observations by ourselves on board the *John Faron*, on a trip from this city to Albany on Aug. 21, and all our mechanical readers will from them be able to judge for themselves of its great merits. The boat is not built for speed, and is 145 feet keel, 24 feet beam, and draws

about four feet of water. The cylinder of the engine is 36 inches in diameter and has 8 feet stroke; it is not particularly well framed, and was not built specially for Mr. Blanchard's improvements. With the ins and outs which we made to landings, the distance was about 160 miles, which we accomplished in twelve hours. The amount of coal used was 6,074 pounds or 467 pounds per hour, running time,

## BLANCHARD'S IMPROVEMENT IN STEAM BOILERS.



from which must be deducted 446 pounds of coke and wood for kindling and 996 pounds of coal to start the fire, and 905 pounds of coal and ashes were taken from the furnace at the end of the trip.

The average pressure in the boiler was 64.7 pounds, and in the cylinder it varied at the different positions of the stroke from 30.8


pounds to 38.0 pounds, having a temperature of 340°. The great point, however, was that the coal was weighed, and the water measured, and 12½ pounds of water were evaporated for every pound of coal, and the steam was heated 80° above the initial temperature. Calculating the horse power of the engine in the usual way, from the number of strokes

four inches square was placed across the machine used for proving chain cables, and a piece of chain was attached to a ring fixed in the center of it. A strain being laid on, the oak broke under a force of 3,900 pounds, the teak with that of 7,200 pounds, and the Honduras mahogany of 7,460. The oak and teak appeared as if crushed, but without a complete disjunction of the fibers; the mahogany showed long splinters, indicating a much longer grain or fiber than the others. M. Arman considers this result as a conclusive proof that mahogany is superior for many kinds of ship-building purposes, and although it is less flexible than good French oak, its permanent resistance under a direct strain is more considerable. MM. Le Mire & Son, builders at Rouen, also confirm the opinion of M. Arman, by giving an account of the results obtained in the use of mahogany in a vessel which they had built, the *Adele*, just returned from a long voyage. The captain, in a letter to the builders, gives a most satisfactory account of the state of the vessel, and expresses his decided opinion that the use of oak in ship-building may be advantageously replaced by mahogany.

**ALUMINUM.**—A new alloy under the name of "bronze aluminum" has been produced by M. Delalonne, of Valenciennes. It consists of one-tenth aluminum and nine-tenths copper; has the appearance of pure gold, is remarkably easy to cast and chisel, and is much less subject to oxidation, discoloration, &c., than ordinary bronzes or brass castings. It is suggested that this bronze, which is very hard, might be advantageously used for the bearings of machinery.—*Exchange*.

We think that the inventor is not M. Delalonne, but Dr. Percy, the English metallurgist, who exhibited this same material, or one having a similar composition, nearly three years ago at the Royal Institution, London.

**Reward to Those Forming Clubs.**—Any person who will get up a club of ten or more subscribers at our clubbing rates, can add his own name to the list, and we will send him the SCIENTIFIC AMERICAN free so long as the club is kept up. Will not our friends be induced to go to work and get up clubs on these terms? Do all you can for us this year.



per minute, the area of the piston and pressure of the steam, and then deducting one-tenth for friction, we find that it is about 300 horse power, which gives the extraordinary result, that by Mr. F. B. Blanchard's arrangement only 1.7 pounds of coal per horse power per hour were used on that trip.

The inventor obtained a patent in this country July 10, 1855, and two in England and France, and he is about applying for some others here. Any further information can be

obtained by addressing F. B. Blanchard, box 2,454 Post Office, New York.

## Timber for Ship-building.

The increasing scarcity of good oak timber for ship-building, says the London *Engineer*, induced M. Arman, the well-known ship-builder at Bordeaux, to make some experiments last year to ascertain the strength of mahogany as compared with French oak and teak. A piece of each kind of wood about

## Scientific American.

NEW YORK, SEPTEMBER 4, 1858.

## Valedictory.

*"All's well that ends well!"*

We close the Thirteenth Volume of the SCIENTIFIC AMERICAN with this number. The curtain drops upon a year remarkable for some of its events; and as we glance curiously over its history, and connect the several years of our varied and interesting experiences, the incidents, the toils, the pleasures, and the pains so mix themselves together and so crowd upon us, that we scarcely know where or how to begin our retrospect.

The progress of science during the last thirteen years has been marked by startling strides, and each great discovery or invention seems more like the dream of some visionary than one of the wonderful and tangible realities which almost daily spring into existence, to mark the mighty triumphs of mind over matter. Could some skillful painter depict upon his glowing canvas the myriad mutations that have occurred in the affairs of our own country since the close of the Revolution which introduced us into the great family of nations, and by an artistic array of scenes, actual and ideal, display the principal agencies that have combined to produce our present national greatness—how deeply would our minds become impressed by the contemplation! In the marvelous results that have been accomplished, it is true that money, and business talent, and experience have each played a conspicuous part; yet it cannot be denied that the *inventive genius* of the American people has been the secret and omnipotent mainspring of that machinery of means which has operated to place them in their present elevated scale. Genius is the master-spirit of all progress—the brilliant planet in comparison with which all other agencies are but the satellites. Wherever the track of true social, moral, and intellectual progress is perceived, there also will be seen the early footprints of the man of genius—the Inventor. It needed the workings of such a mind to project the Steam Engine and render it subservient to the uses of industry and commerce. It required the magic power of inventive genius to produce the Electric Telegraph, by which the very lightnings of heaven are transformed into the fiery-tongued messengers of men. It employed the mental skill and patient toil of sons of genius to devise the Plow, the Printing Press, the Reaper, the Loom, the Sewing Machine, and the thousand of other valuable contrivances which enter into the daily service of man, and contribute to his comforts, luxuries and actual necessities. Thus might we go on, almost interminably, to show that, in all questions of real material progress, in the world of science and art, the inventive genius of our people is the principal pillar of our country's greatness. What stronger proofs of this can be found than those which have been inscribed upon the pages of the SCIENTIFIC AMERICAN during the last thirteen years? How abundant is the testimony which they bear to the achievements of American inventors!

The end is not yet. "Progress" is the watchword. Although the much-searched channels of discovery may seem to have been exhausted of their treasures by the pioneers of progress, there yet remain innumerable fields of facts to be explored by men of genius; difficult problems remain to be solved, and vast results are yet to be elicited.

We shall enter on our Fourteenth Volume with the determination to make it not inferior to any of its predecessors. We shall think, and toil, and labor, day and night, to benefit the mechanics and inventors of our country, and shall carefully and closely chronicle the progress of art and science, at home and abroad. All we ask in return is that cordial fellowship and hearty support may be extended to us, by all our old friends and thousands of new

ones. Soliciting the influence of each of our readers, in extending among their acquaintance a knowledge of the benefits which may be derived from the information contained in the SCIENTIFIC AMERICAN, we assure them that our aim shall ever be to—

*"Find tongues in trees, books in the running brook, Sermons in stones, and good in everything!"*

## Origin of the Atlantic Telegraph.

The Hamilton (C. W.) Times contains a long article headed "The Originator of the Atlantic Telegraph an Englishman," in which it gives a detailed account of the efforts of a young Englishman named F. H. Gisborne, toward bringing the subject of a transatlantic telegraph before the capitalists of Canada and Nova Scotia, and claims that the grand conception of the work now happily completed originated with Mr. G. in 1850 or '51. We beg leave to inform our Canadian neighbor that we have a prior claim to originality in this matter, on behalf of our own countrymen, of at least two years anterior date, and that the distinguished honor of originating and pointing out the feasibility of the great enterprise for whose completion the world is now ringing with praise, belongs exclusively to Gen. Horatio Hubbell, a distinguished member of the Philadelphia bar, who projected and originated the grand idea as early as 1848, and to his associate, J. H. Sherburne, who had the moral courage to join Gen. Hubbell in signing his memorial to Congress, detailing the plan, and asking governmental assistance in carrying it out.

This memorial is the origin of the Atlantic telegraph, and was presented to the Senate of the United States by the Vice President, Hon. G. M. Dallas, and to the House of Representatives by Hon. J. R. Ingersoll, on the 29th of January, 1849. When first published it was treated as a chimera of the wildest kind, and the memorialists, if not mad, as nearly so as possible. When presented in the Senate by Vice President Dallas, the greater part of that body were for throwing it under the table; but one Senator (says Mr. Dallas in a note to Gen. Hubbell, dated March 18, 1854), Jefferson Davis, moved that it be referred to the Committee on Commerce, remarking that "the world was not yet prepared for the project, but might be soon." This memorial is recorded on the Senate journal of the day it was presented, and will speak for itself. The idea of establishing a transatlantic telegraph with Gen. Hubbell was not a vague and impulsive one, but was the result of long and patient study, investigation and inquiry of an original and practical mind, which, while it thoroughly comprehended the gigantic character of the undertaking, was yet alive to, and singularly suggestive of the obstacles to be encountered, and the means of overcoming them. In the memorial, the existence of the plateau or table land between Newfoundland and Ireland is first announced to the world as the course where the telegraphic communication would be established between the Old and the New continents. The words of the memorial are explicit on this point, as will be seen by the following extract from it:—

"Your memorialists proceed to say, that from many observations that have been made, there is incontestable evidence of the existence of a submarine table land, extending from the Banks of Newfoundland across the Atlantic Ocean to the mouth of the British Channel. This is proved by the altered color of the sea water, which has a different appearance in unfathomable places from what it has in shallow spots. This, combined with the volcanic construction of Iceland and the Azores, and the situation of that portion of the ocean that lies between both these volcanic groups, has led to the conclusion that there has been a lifting up of the bottom of the sea, through the agency of a Plutonic power, and that the bottom thus elevated appears to be cut through in many places by deep water channels. The appearance of medusæ, polypi, and other marine creatures seen upon the edge of the discolored water strengthens this opinion."

They then proceed to ask that they be fur-

nished with a vessel, in order to make the necessary surveys and soundings, and it was, no doubt, in accordance with this suggestion that Lieut. Berryman was dispatched, and did make his soundings over this part of the ocean in 1853. Lieut. Maury did not make a personal survey himself, but made a report upon the soundings of Lieut. Berryman, under date of 22d of February, 1854—five years after the Hubbell and Sherburne memorial had been presented to Congress and promulgated to the world.

From the foregoing indisputed documentary evidence now on file at Washington, it is plain that the scheme for a transatlantic telegraph had its origin in America, and that the mode, means, and location to carry the telegraph wire or cable across the Atlantic ocean were originated by Gen. Hubbell; that to him and to his deceased associate Mr. Sherburne, who signed the memorial, is due the exclusive honor of first pointing out the existence of the plateau or table land between Newfoundland and Ireland, in connection with the telegraph cable now successfully laid upon it; and finally that these gentlemen were the first to publish and promulgate the feasibility of such an enterprise, and thus enlist in its behalf the attention, capital and skill of the individuals and governments, through whose agency the inceptive idea of the great mind in which it originated has been successfully carried out in accordance with the original suggestions contained in the Hubbell and Sherburne memorial.

## The Gutta Percha Life-Boat.

The great utility of a life-boat can be appreciated by very few persons who have not been upon the ocean, and seen the waters lashed with fury, beating against the sides of a gallant ship. It is the last resource; the ship has been knocked to pieces on some rock or shore, or has been put in a sinking condition by the violence of the storm, and the passengers and crew forgetting their treasure and the cargo, think but of saving their lives. The life-boat is manned, the perishing people cling to her sides, and down goes the ship, leaving but that frail little boat between them and eternity. How important is it, then—not in a commercial sense, merely, but in the higher and grander sense of pure humanity—that this life-boat should be constructed in the best manner, and of the best materials—that it should be able to endure knocking about on rocks—that it should not leak, and if capsized, should be able to right itself immediately.

To produce a perfect one, many philanthropic men have spent time, money and genius; and in 1850 the Duke of Northumberland offered a reward of one hundred guineas for the best life-boat. Three hundred persons answered the call, and Mr. Beeching, of Yarmouth, England, obtained the prize, having produced what was then the very best. Since that time many inventors have tried to produce a better, but all their efforts have been directed in the old and well-trodden paths of improving the arrangement of air chambers, &c.; and it was not until 1855 that a new material was proposed; this was gutta percha, which we think will do much for the saving of our fellow men from a watery grave. On the 17th we had an opportunity of witnessing a practical test of its qualities, and of its adaptability to this purpose, the results of which were satisfactory in the extreme.

The life-boat with which the experiments were made was 16 feet long, about 5 feet beam, and 3½ feet deep; she had an air chamber at each end, and was fitted inside with wooden seats, thwarts, &c. When in the water she will sustain 100 persons, and from what we saw, seems almost incapable of injury. There are no joints or seams in one of these boats, as they are cast or molded in a male and female mold by hydraulic pressure, from one piece of gutta percha, which is therefore compact and hard. The spot chosen for the trial was the beach at Long Branch, N. J., opposite the National Hotel, and as there was a southwest wind, the "rollers" or

surf, was pretty high. The surf-boat men took her and tried hard to capsize her, but could not succeed, and then filling her with water, sent her adrift among the rollers, which brought her safe and uninjured to shore. She was next drawn high and dry, and pummeled by the surf men with an oar, but they were not able to make any impression on her sides. Altogether, the experiments clearly proved that gutta percha was an excellent material for a life-boat, and that it possesses many advantages not found in the substances usually employed. It is light, cheap, and easy of construction and repair, and when worn out or badly damaged, the material is always a marketable commodity. The patentee, Mr. E. B. Larchar, of this city, received many well-deserved compliments from the persons who witnessed the trial, and we understand that a company is formed for the manufacture and sale of these boats.

## Mineral Oil.

The Mining Chronicle mentions an improvement recently patented in England by S. Lees, of Salford, by which a considerable saving of time and expense is effected, as three tons or more of raw material may be operated on in one still. The invention consists in distilling or abstracting the oil contained in the coal, cannel, schist, or other mineral substances, by combining such substances with asphaltum or pitch (the residuum formed in the manufacture of gas for illumination), and other suitable substances, and by the application of heat, which dissolves the asphaltum, and causes the mineral bituminous substances to give off their oil in the form of vapor. He breaks the bituminous substances and asphaltum into pieces of any convenient size, and puts the whole into a common still, which is then closed and heated in the usual manner. The vapor is condensed in an ordinary worm, and the residuum may be used as fuel. Another important feature in the invention is, that the still may be heated as rapidly and to as great a degree as possible without injury to the oil produced, or waste from the production of gas; moreover, the oil produced by the single distillation is almost clear, the carboniferous and earthy particles of the mineral bituminous substances being retained in the still by the asphaltum or pitch, whereas in the modes heretofore adopted, the products from coal, cannel, and schists have required a second distillation to separate the oil from the asphaltum or pitch, and to produce oil of a color and specific gravity equal to that produced by Mr. Lees' invention.

## Personal.

T. H. Dodge, Esq., Chairman of the Patent Office Board of Appeals, has obtained two months leave of absence. He lately favored us with a call, when en route to his home in New Hampshire.

We understand that all the back appeal cases have been acted upon so that the docket is clean. Appeals are now heard and decided within a brief time after presentation. This is a very gratifying state of things for applicants, and indicates the closest industry on the part of the Board, for at times their bureau has been much crowded.

The Board of Appeals has been in operation now nearly a year, and we believe its workings have given pretty general satisfaction. It has served to harmonize the decisions of the Office, and inspire a confidence and respect for the institution which it did not before enjoy.

At the time of the creation of the Board, we expressed the opinion that it was a movement which the times demanded, and that it would reflect high credit upon the sagacity of the Commissioner of Patents. Nearly a year's practical experience of the workings of the Board fully confirms the impressions originally formed.

During the absence of Mr. Dodge, the appeals will be attended to by the other members of the Board, Messrs. Lawrence and Little, both of whom are able men.

# Scientific American.

## **Starch Manufacture.**

The great consumption of this article—in which every civilized country indulges, as enabling the community to keep that virtue which is next to godliness—has rendered it necessary, from time to time, to improve its manufacture in many ways. A large factory for the production of starch was some time ago started at the pleasant village of Glen Cove, on Long Island Sound, and after it had been in operation about a year, it was destroyed by fire on the 9th of February last. As it was largely insured, means were quickly provided to erect a new one, and a few weeks ago, the Glen Cove Starch Manufacturing Company, through their energetic secretary, Wm. Duryea, who has been the persevering genius of the whole, invited some eight hundred persons to spend an afternoon in the works, to inaugurate their re-commencement. Every visitor who knew anything of starch manufacture was enabled to see at a glance the many improvements there introduced, not so much in the processes themselves, as in a careful attention to detail, and in every practicable instance the substitution of machinery for manual labor, as, for example, it has been the custom to elevate the starch water from floor to floor and into vats, by hand, but at this factory a great number of Cary's rotary pumps are employed, and they save a great amount of labor. The water is also of the best quality, issuing from a spring, and passing through the natural rocky filter of old mother Earth. The factory is capable of turning out eighteen tons a day, which is nearly two hundred thousand pounds a year more than Great Britain produced in 1835.

Starch is a beautifully white pulverulent substance existing in all grains, fruits, seeds and esculent roots, and is a necessary component of animal nutrition. Rice contains 85 per cent; Indian corn, 65; potatoes, 20; and other vegetables various proportions. In Europe much is made from rice, but here the best white corn is used. The corn when delivered at the factory is hoisted from the sloop to the top of the building, and after having been winnowed, it is soaked in vats to prepare it for the mills, to which it is carried through shoots by a stream of water, and the mixed meal and water passes from the mills into the room where the two principal constituents of the corn, starch and gluten are separated. This is done by kneading and straining the corn, and the starch flows away in a white milky liquid, the gluten remaining behind. The starch is then allowed to settle, and when tolerably solid is placed on shelves of loose brick which absorb the moisture, some of which, however, evaporates. Kiln-drying finishes the process, when it is ready to be packed in papers for sale.

The Glen Cove Starch Company, determined to lose nothing, sell the gluten for food for horses, cattle and pigs, to which purpose it is excellently adapted, being far better, and we should think as cheap as swill. They also make an article of food, in the form of a cake, which we tasted, and have no hesitation in pronouncing it superb; it is called Maizena, and the following recipe will inform our lady readers how it is to be used:

Maizena.....	Half Pound.
Sugar.....	Two Cups.
Butter.....	Half Cup.
Eggs.....	Three.
Cream Tartar.....	Teaspoonful.
Soda.....	Teaspoonful.

Dissolved in one-third of a tea cup of milk.

Mix thoroughly, place in patty-pans, and bake immediately in a quick oven, from ten to fifteen minutes. The cake improves by age, if kept in a dry place.

The fire extinguishing apparatus of the factory and the machinery are perfect, and the excellent condition in which both are kept, called forth the warmest praise from the visitors, who, after partaking of some substantial hospitalities in the way of a collation, returned highly pleased with what they had seen, and all agreeing that the Glen Cove Starch Manufacturing Company was deserving of an eminent success.

## **Atlantic Telegraph Shares and Vested Rights.**

Immediately upon the receipt of the intelligence at London of the successful laying of the Atlantic telegraph cable, the shares of \$5,000 each, which were freely offered the day before for \$1,700, advanced at once to \$4,600. The original paid-up capital of the Company was \$1,600,000, and this has been increased to \$2,280,000. Of this sum \$375,000 in shares is to be handed over to the company in payment for the exclusive privilege assigned to it upon completion of the undertaking. The colonial concessions of the company give them an exclusive right for fifty years as regard the Newfoundland coast and the shores of Labrador and Prince Edward Island, and twenty-five years as regards Breton Island. They have also a similar privilege for twenty-five years from the State of Maine.

From the respective governments of Great Britain and the United States the terms obtained are a payment of \$60,000 per annum from each for the transmission of their messages for fifty years, until the dividends amount to six per cent on the original capital, after which each government is to pay \$50,000 a year, such payment to be dependent on the efficient working of the line.

## **The First News Message through the Cable.**

The following was received in New York on the morning of the 26th ult., and being the first news message transmitted through the Atlantic Telegraph Cable, deserves to be placed on record:—

VALENTIA, August 25, 1858.

Later and highly important intelligence has been received from China.

Later Indian news is to hand, the dates from Bombay being to the 19th of July. The accounts represent that the mutiny was being rapidly quelled.

To-day's London papers have a long and interesting report by Mr. Bright, the Atlantic Telegraph Company's Engineer.

A treaty of peace had been concluded with China, by which England and France obtain all their demands, including the establishment of embassies at Pekin and indemnification for the expenses of the war.

The royal mail steamship *Asia*, with the mails for Halifax and Boston, is to be despatched from Liverpool on Saturday next.

The screw steamship *North American*, with the Canadian mails, was to leave Liverpool to-day, for Quebec and Montreal.

The U. S. mail steamship *Fulton*, for New York, was to be despatched from Southampton to-day. We have it on reliable authority that the above message was only two hours in coming across the Atlantic Ocean.

## **New Photograph Invention.**

Messrs. Seely & Garbanati, photographic chemists, of this city, have recently perfected an apparatus by which life-size photographs may be produced with all the ease and perfection of small pictures. We have examined the mammoth portraits produced by it, and found them quite free from the distortion which has generally characterized large photographs; in fact, the life-size likeness is an exact counterpart in figure and detail of the person, and needs as little of the artist's retouching as the ambrotype or daguerreotype. The cost of materials used in the preparation of the paper is trifling, while the apparatus complete is manufactured for about \$20.

The instruments hitherto employed for making portraits of a larger size than 6 by 8 inches are sold at prices ranging from \$200 to \$1,000, and the chemical preparations required for a commencement involve a large outlay. The old methods, moreover, are uncertain, tedious, and the best results unsatisfactory, till the pencil of the artist has softened down the defects.

The inventors are preparing for exhibition a full length colossal photograph, fifteen feet in height, of one of our most distinguished citizens.

This new instrument, called the "Mega-

scoptic Camera," is similar in principle to the solar microscope. A small picture is first produced in the usual way from the object; an image of this small picture is thrown magnified from the new camera on to a sensitive surface (paper or canvas), on which it is impressed in a few seconds. Any small picture (portrait or view) may thus be accurately enlarged to any desired extent.

Many of our most enterprising photographers have adopted the instrument, and seem to think that it will come into general use for all pictures over 6 by 8.

## **Steam as applied to Navigation and Land Traveling.**

Several nations claim the credit of having first conceived the idea of employing steam for moving carriages on land as well as ships at sea, but the author of the lately published life of George Stephenson seems to think that the weight of evidence is on the side of a Frenchman named Solomon de Caus, who was shut up for his supposed madness in the Bicêtre at Paris. Marion de Lorme, in a letter to the Marquis de Cinq-Mars, dated Paris, February, 1641, thus describes a visit paid to this celebrated madhouse in company with the English Marquis of Worcester:—"We were crossing the court, and I, more dead than alive with fright, kept close to my companion's side, when a frightful face appeared behind some immense bars, and a hoarse voice exclaimed, 'I am not mad! I am not mad!' I have made a discovery that would enrich the country that adopted it!" "What has he discovered?" asked our guide. "Oh!" answered the keeper, shrugging his shoulders, "something trifling enough; you would never guess it; it is the use of the steam of boiling water!" I began to laugh. "This man," continued the keeper, "is Solomon de Caus; he came from Normandy four years ago, to present to the King a statement of the wonderful effects that might be produced from his invention. To listen to him, you would imagine that with steam you could navigate ships, move carriages; in fact, there is no end to the miracles which, he insists upon it, could be performed. The Cardinal sent the madman away without listening to him. Solomon de Caus, far from being discouraged, followed the Cardinal wherever he went, with the most determined perseverance, who, tired of finding him forever in his path, and annoyed at his folly, shut him up in the Bicêtre. He has even written a book about it, which I have here."

It appears that the Marquis of Worcester was greatly struck by the appearance of De Caus, and afterwards studied his book, portions of which he embodied in his "Century of Inventions."

## **Danger of Hoop Skirts.**

We see it stated that the medical attendant of the Princess of Gothland asserts that hoop skirts are the cause of accouchements lately becoming so dangerous and difficult. He adds that this fashion is the source of a vast number of chills, the consequences of which are, in many cases, mortal. If this gentleman is to be credited, the prevailing method ladies adopt to spread themselves has as many deaths to answer for in Sweden as cholera. We have always thought that hooped skirts of reasonable bounds were not only an ornament to the persons of the fair wearers, but on account of their ventilating character, actually beneficial to health.

Ladies generally evidently think so, and as they are the actual sovereigns of creation, and will wear what suits them, we doubt whether this statement will have any effect. One thing is certain, and none know it better than themselves, that no matter how fantastically or ridiculously they may dress, they will be admired the world over.

2,500 OUNCES of gold has been shipped from Nelson, New Zealand, to Melbourne, Australia, being the first shipment from the newly discovered gold fields of the former island.

## **Washington's Tomb and Homestead.**

This place, which is to every American as hallowed ground, is about to be bought by the ladies of America, provided they get the money, to effect which object many of our most philanthropic "fair" have formed themselves into a society called the "Mount Vernon Ladies' Association." Their rooms are at the Cooper Institute, in this city; and any of our readers in their patriotic moments may send their donations to Miss M. M. Hamilton, who has undertaken the honorable post of Vicegerent of this State.

## **New Disinfecting Cement.**

There is a considerable difference between a deodorizer and a disinfectant. The former either merely removes or disguises a foul odor; the latter changes the character of the matter which creates the effluvia, and prevents it from sending forth disease. Fresh slacked lime and charcoal dust are very good deodorizers, but their disinfecting powers are not equal to some of the salts of manganese, which, when they combine with pestilential fluids in sinks and drains, give out at the same time a considerable quantity of pure oxygen to refresh the atmosphere. The manganese of soda, or potash, has recently been tried in London with much success in deodorizing and disinfecting the water of the river Thames, and its use in our cities during dry weather may be of great benefit. It is applied by dissolving it in warm water, and pouring it into the sink or drain to be disinfected.

## **A Thrifty Machine Shop.**

The Newark (Ohio) Machine Works commenced operations some four or five years ago, under the care of our esteemed friend, Mr. Joseph E. Holmes, and since that time the company has had a tide of continued prosperity. The amount of work turned out each year reaches about \$150,000. The men employed in the works, now numbering about one hundred, have distributed within the past three years, for purposes of pure benevolence, \$1,336. Forty-five of them are members of a reading room. They also take 222 papers, magazines, &c. In this list we recognize 90 copies of the SCIENTIFIC AMERICAN. These facts are interesting, and reflect much credit upon the mechanics as well as upon the managers of the company.

Our friend, H. S. Babbitt, is still connected with the above works, and will continue to forward all subscriptions to the SCIENTIFIC AMERICAN entrusted to his care.

## **A Rule worth Observing.**

In accordance with an invariable rule adopted at the beginning of this journal, all subscriptions are promptly discontinued when the time for which they are paid expires. As a general thing, this system has the approbation of all our readers; but occasionally, we receive complaints, stating that we ought not to have enforced this rule in certain cases. Now it must be borne in mind that we cannot justly make any distinctions between one subscriber and another; besides, we believe it would be impossible for us to manage our journal successfully under any other system than *advance payment*.

The local circulation of the SCIENTIFIC AMERICAN is comparatively small; its subscribers and patrons are scattered throughout all the States and territories of our country, and many copies are circulated in Europe; therefore it would be impracticable and ruinous for us to undertake to employ agents to travel and collect subscriptions. We hope all our friends will promptly remit, in order to renew their own subscriptions, and that they will get as many new subscribers as possible. We urgently appeal to them to come forward and aid in increasing our circulation, and thus not only confer a favor upon us which we shall highly appreciate, but spread abroad the useful information with which the columns of the SCIENTIFIC AMERICAN are always stored.

Clubs of twenty or more yearly subscriptions are supplied with the SCIENTIFIC AMERICAN at \$1.40 each.

## Correspondents

S. Cochran, of Petersburg, Va., wishes to procure a machine for dressing grain cradle fingers to their proper shape after being bent and sawed out of the sheet. Also a lathe that will turn the snaths a gradual taper five feet long.

J. W. G., of Pa.—Your method of instantly converting water into steam by bringing it into contact with heated surfaces is not new, nor has it been found beneficial in practice.

J. E. McC., of Ohio.—You say you do not think that any machine can be made to fly by mechanical contrivance alone; and to overcome this difficulty you propose to suspend the aerial car in the air by means of hydrogen gas, and then propel it by machinery. You do not seem to be aware of the fact that this notion has extensively prevailed for ten years past. Porter, Pennington, and others, are ahead of your project.

F. G., of L. I.—Fine sand is first used in grinding glass, and then very fine oxyd of iron for polishing.

O. M., Washington, D. C.—Call at our office corner of F and Seventh st., opposite the Patent Office. Our folks will take pleasure in posting you up in regard to the novelties of the Capitol.

R. W., of Iowa.—Zinc white is much employed by whitewashers; they mix it with the lime and it makes a very durable wash. The lime used as a body for fresco painting is thus prepared by the artists of Munich: a pit is filled with clean burnt limestone, which is slaked, and then stirred continually till it is reduced to an impalpable consistency. The surface having settled to a level, clean river sand is spread over it to a depth of a foot or more, so as to exclude the air, and lastly, the whole is covered with earth. Thus it remains for two or three years before it is used either for painting or coating walls. Fine gilt stripes are put on glass by first sizing the glass and then burnishing gold leaf on to it, and cutting away the excess of gold leaf.

F. M., of Pa.—If you merely make a model of an invention from a drawing furnished by another, you can certainly lay no claim to the invention. The Inventor must apply for the patent, and it can be assigned to you.

C. P. A., of Va.—A composition of four pounds rosin, one pint linseed oil, and one ounce red lead, applied hot with a brush, is an excellent article for stopping leaks in roofs, casks, &c.

G. G., of N. Y.—The best process of tinning iron tacks is to first dip them in sal ammoniac, and then in melted tin. The heads of the tacks should be well cleaned, by immersing them in a weak solution of sulphuric acid, or some other scouring substance.

D. S. H., of Mich.—If a patent is extended, parties who had rights under the original term have none under the renewed term, except to run such machines as were actually in use before the patent expired. The first line of electric telegraph was put into operation in June, 1844, between Baltimore and Washington, and the first public dispatch sent over it was, "What hath God wrought!" This was followed by a dispatch announcing the nomination of Mr. Polk to the Presidency.

A. M. R., of N. C.—The best method of preventing sparks and fire from coming out of your chimney is careful firing up, but a chamber may in some degree lessen the danger.

B. H., of Mass.—Cast iron melts at various and varying temperatures according to certain conditions, but Professor Daniell decided upon 278° as the practical melting point. You may accept this as a practical standard.

J. F. K., of Ohio.—You had better wait a little while before you press the want of conducting power in the Atlantic Cable, as should it be perfectly successful, as many eminent men think it will, you would appear foolish.

L. O. H., of Ind.—The specimens of pearls sent to us for examination have no value whatever; and those of your townsmen who are excited to wade daily in the river in search of pearls, had better abandon that pursuit and go to work. Pearls of considerable value have been found in fresh water muscles; but those little bits which you sent us would bring in the market about the same price as gravel stones. We have reported our opinion (by letter) in regard to your invention, and await your determination respecting the prosecution of the case.

Money received at the Scientific American Office on account of Patent Office business, for the week ending Saturday, August 28, 1858—

C. B. M., of —, \$30; J. B., of Texas, \$30; W. H., of Ill., \$30; J. J., of Pa., \$30; T. & M., of Vt., \$30; H. H., of Ind., \$30; R. A. C., of Ind., \$25; D. & S., of N. Y., \$400; E. P. C., of Mass., \$30; H. E. T., of Ill., \$30; A. W., of Ga., \$35; A. W. D., of Me., \$35; H. B. N., of Cal., \$30; R. C., of Pa., \$30; A. G., of Me., \$35; A. R. H., of N. Y., \$30; M. C., of Conn., \$35; F. K., of Mass., \$15; S. Y., of Mass., \$20; E. C., of Mass., \$25; J. M. M., of Ind., \$25; H. McC., of Mich., \$30; J. P., of Tenn., \$15; R. H. E., of Ill., \$25; W. S. T., of Iowa, \$35; M. L., of N. Y., \$30; D. R. K., of Conn., \$25; J. P. V., of Wis., \$30; W. G. S., of Ill., \$35; R. D., of Cal., \$35; J. M., of N. Y., \$60; G. H. S., of Iowa, \$25.

Specifications and drawings belonging to parties with the following initials have been forwarded to the Patent Office during the week ending Saturday, August 28, 1858—

J. M. M., of Ind.; R. H. E., of Ill.; W. H. T., of Mass.; E. C., of Mass.; W. S. T., of Iowa; S. Y., of Mass.; F. K., of Mass.; W. G. S., of Ill.; J. P. E., of Va.; J. D., of Conn.; G. H. S., of Iowa; J. B., of Texas; L. S. C., of N. Y.; H. & C., of Me.; R. E., of Mass.

### Valuable Hints to our Readers.

It is well known to all our readers that we employ no traveling agents.

In order to become a subscriber to the SCIENTIFIC AMERICAN, enclose the money in a letter, and address it to Munn & Co., 128 Fulton street, New York City. We depend upon our friends to aid us in getting subscribers and forwarding the names.

The safest way to send money is by a draft or check made payable to our order. It is more sure of reaching us than when sent in bank bills.

If bank bills are sent, we will assume the risk of them reaching us, when subscribers preserve a description of the bills, and take a Postmaster's receipt to show that the money has been mailed.

Many letters sent to us are without Post-office address or signature, and therefore cannot be answered.

When you order the SCIENTIFIC AMERICAN, be careful to give the name of the Post-office, County, and State to which you wish the paper sent. And when you change your residence, and desire your paper changed accordingly, state the name of both Post-offices—where you have been receiving it, and where you wish it sent in future.

### NUMBERS OF VOLUME XIII.

We cannot supply Nos. 22, 23, 31, 32, 34, 35, 36, and 38 of the present volume, but we can furnish Vol. XIII. complete and bound for \$2.75. Postage, 90 cents.

### THE BLANCHARD PATENT STEAM BOILER.

BOILER generates steam more economically than any process ever before used. A steamboat with this boiler is daily running on the Hudson, carrying passengers and freight. The fire being kindled, when the boat starts the chimney is closed. No smoke, no sparks, no chattering noise. The combustion is perfect. A Blanchard boiler is half the size with half the water, and less than half the fuel, generates the same amount of steam as an ordinary boiler. Its construction is not unlike others, its cost about the same. The fire chamber is simple, but in this is found the source of the great gain. It is applicable wherever steam power is needed, and especially on locomotives and canal steamers, where it is desirable to dispense with a chimney. For further particulars, price, rights to make and use, &c., address F. B. BLANCHARD, Box 2454, Post Office, New York.

### PICKPOCKETS FOILED—A NEW THING.

Sells rapidly. Send stamp for agency.

DICKINSON & BATE, Hudson, Mich.

### APPARATUS FOR DETACHING A HORSE AND THE SHAFTS FROM A CARRIAGE.

The object of this valuable invention is to enable a person who may be in a carriage while it is running, to get away, to free the body and wheels or running parts from the shafts and horse; also to provide the shafts with a means by which when they are detached from the carriage, their rear ends may be maintained at such a height above the ground as to prevent their cross bar from falling on the horse's hind legs, and doing injury thereto. GILBERT HUBBARD, of Montville, Mass., is the inventor, to whom references may be made, or to E. B. MIDDLEBROOKS, Carriage Manufacturer, Bridgeport, Conn.

### TO HARDWARE MERCHANTS.

Send (free of postage) for one stamp the experience of forty of the most prominent agriculturists in the United States in the use of Gould's Patent Husking Thimbles, also the experience of agents in their sale, to the trade, &c. And for one dollar, six sets of the thimbles (assorted sizes), with directions for using, &c., will be sent. Money sent by mail at our office. Address J. H. GOULD & CO., Sole Proprietors, Alliance, Ohio.

### THE PEARSALL PATENT VENTILATING BRIDGE CO.

Send (free of postage) for one stamp the experience that will cut a round hole three inches in diameter through a barrel head with great ease and facility. For such an instrument a good price will be paid by the President of said Co., at No. 13 Water st., New York. THOMAS PEARSALL.

### IMPROVED WOODWORTH AND DANIELS' PLANING MACHINES.

With Read's feed works, and Gibbs' patent oval hollow arm, made by J. A. FAY & CO., Worcester, Mass.

### IMPROVED CORN HUSKER.

—The rights of Messes' patent Corn Husker for sale, either the whole or otherwise. For cheapness, simplicity and durability, it has no equal. Boy's labor is all that is required for removing the husks from the corn, which can be done in two or three seconds. This method is pronounced by judges to be just what farmers require to perform their work, and will last for many years without any repairing. It is calculated that several can husk at the same time, by extending the bench the length required, driven by horse power. A single and double one can be seen and tested at No. 108 Norfolk, near Irvington street, New York. For further particulars, address J. MASSEY, Inventor, care of F. S. Brown, No. 108 Norfolk st., New York.

### IRON AND COMPOSITION CASTINGS.

Chilled Rolls, Mill Gearing, Fan Blowers, Trip Hammers, Shafting, Shears, Presses, India Rubber Calenders, Grinding and Cutting Machines, Turbine and Center-vent Water Wheels, also contracts made for Breast and Overshot Water Wheels, also orders taken for the manufacture of patented machinery of all kinds, by the BIRMINGHAM IRON FOUNDRY, Birmingham, Conn.

SHELDON BASSETT, President.

### ATTENTION—SCREWS 50 PER CENT CHEAPER

than any other manufacturer. Manufactured of all kinds of metal screws, of every description, and for every trade, such as manufacturers of Sewing Machines, Gas Fixtures, Scissors, Pianofortes, Machinists, Clocksmiths, Clockmakers, &c. C. DUCREUX, 610 Broadway (opposite St. Nicholas Hotel), New York.

### SHEARS! SCISSORS! SCISSORS!

WENDT & SEYMOUR, Hoe & Co.'s Building, 31 Gold street, New York. Manufacture and have for sale Shears and Scissors of every description of the best quality and finish, with silver-plated or japanned handles.

### CRIDGE, WADSWORTH & CO., MANUFACTURERS OF IMPROVED PATENT OSCILLATING STEAM ENGINE.

Engines, with variable governor cut-off. Shop, county and State rights for sale. Also one-half the patent for Great Britain. For illustration see Sci. Am., Vol. 13, No. 51. Circulars with testimonials, &c., sent by mail on application to CRIDGE, WADSWORTH & CO., Pittsburgh, Pa.

### CLOCKS—TOWN CLOCKS OF ALL SIZES.

Regulators and Timepieces for all purposes. Dials for Illuminating. VOSBURGH & CO., Agents, No. 26 Liberty street, New York. JOHN SHERRY, Manufacturer, Sag Harbor, N. Y.

### STEAM ENGINE—A NEW FIFTY HORSE

power, suitable for a propeller, will be sold cheap. Can be seen at 47 Maiden Lane, New York City.

### EXCELSIOR BOLT CUTTERS.

WE CAN confidently recommend these excellent machines, believing they are the most durable and most scissor-cutters yet invented. They cut a smooth and firm V-thread on bolts and rods of any length at one cut, and no back motion is required, as the dies can be withdrawn when the screw is cut. They are adapted to the wants of every machine shop, and possess arrangements for facility of work, &c., which renders them invaluable to manufacturers of agricultural implements, carriages, wagons, iron railings, &c. The Excelsior Screw Cutters are supplied with complete sets of dies and taps, and are made for either steam or manual labor, at prices within the reach of all. Manufactured and sold by J. A. FAY & CO., Cincinnati, Ohio.

Also may be had at the following places:—O. P. Rogers & Co., Norwich, Conn.; J. A. FAY & CO., Worcester, Mass.; J. A. FAY & CO., Keene, N. H.; Fay & Co., Machinists, Chicago, Ill.; Rudolph & Hummel, St. Louis, Mo.; Vose & West, New Orleans, La.

### CARY'S CELEBRATED DIRECT ACTING

Self-Adjusting Rotary Force Pump, unequalled in the world, for the purpose of raising and forcing water, or any other fluid. Manufactured and sold by

CARY & BRAINARD, Brockport, N. Y.

Also for sale by J. C. CARY, 240 Broadway, New York City.

### ENGRAVING OF EVERY DESCRIPTION

Machinery, Patents, Maps, &c., by WM. J. BARKE, No. 23 North Sixth street, Philadelphia, Pa.

### BELLOWS' PATENT DRY CLAY BRICK

MACHINE.—The undersigned has invented a machine that for cheapness, simplicity, durability, and the production of a superior article, is unequalled. Manufacture and rights for sale. EPH. H. BELLOWS, Worcester, Mass.

### LANE & BODLEY, MANUFACTURERS OF

Wood-working Machinery and Circular Saw Mills. Special attention given to hub, spoke, felloe, and wheel machinery. Shafting and pulleys turned and balanced. \$8 to \$10 per 100 lbs. Corner of John and Water streets, Cincinnati, Ohio.

### WROUGHT IRON PIPE, CAST IRON PIPE.

Galvanized Iron Pipe (a substitute for lead), Stop Cocks and Valves, Boilers and Boiler Flues, Pumps of all kinds sold at the lowest market rates by JAMES O. MORSE & CO., 76 John st., and 29, 31 and 33 Platt st., New York.

### GUILD & GARRISON'S STEAM PUMPS

for all kinds of independent steam pumping, for sale at 55 and 57 First street, Williamsburgh, L. L., and 301 Pearl street, New York.

GUILD, GARRISON & CO.

### J. & WM. W. CUMBERLAND'S IMPROVED

Patent Metallic Oil, for machinery and burning. Warranted to last longer than sperm oil. Manufactured only by the New York Cumberland Metallic Oil Works, foot of East 24th st., Office, No. 205 Broadway, New York. Under the inventor's superintendence, N. B.—See that our brand "New York Cumberland Metallic Oil Works, foot of East 24th street," is upon every package, however small.

### PATENT RIGHT FOR SALE.

A valuable patent right for England for an article introduced in this country sufficiently to fully test its merits. Apply to TUTTLE & BAILEY, No. 301 Pearl st., New York.

### HARRISON'S 20 AND 30 INCH GRAIN

Mills constantly on hand. Address New Haven Manufacturing Co., New Haven, Conn.

### 5,000 AGENTS WANTED.

four new inventions. Agents have made over \$25,000 on one. Better than all other similar agencies. Send four stamps and get eighty pages particulars, gratis.

EPHRAIM BROWN,

Lowell, Mass.

### WOODWORTH PLANERS—IRON FRAMES

to plane 18 to 24 inches wide—at \$90 to \$110. For sale by S. C. HILLS, 12 Platt street, New York.

### ECLECTIC SCREW AND GRIPPING

WRENCH.—Hyde's patent—for sale by all hardware stores. Proprietors, GRAY BROTHERS, New York City.

### PATENT OFFICE MODELS.

CAREFULLY made on scientific principles, at low prices, by H. SHLARBAUM & CO., 300 Broadway, New York. References at the office of this paper.

### STEAM WHISTLES—IMPROVED PAT-

TERNS FOR LOCOMOTIVE AND STATIONARY ENGINES. Large assortment constantly on hand. Manufactured by HAYDEN, SANDERS & CO., 306 Pearl st., New York.

### TO INVENTORS—I WANT TO PURCHASE

for use in the "Industrial Museum," one complete Operative Machine, of every improvement patented within the last two years.

I. S. RICHARDSON,

No. 5 Washington st., Boston.

### RIVETS—IRON BRIDGE, SHIP GIRDER,

Boiler, Tank, Tender, Gasometer, and Stove Rivets.

Railroads, Locomotive and Machine Shops, Gasometer Manufacturers, &c., supplied with every kind of rivet used in the trade.

PHILLIPS & ALLEN, Rivet Works,

Pennsylvania avenue, west of 23d st., Philadelphia.

### WOODBURY'S IMPROVED WOODWORTH

Planing, Tonguing and Grooving Machines, are warranted to be vastly superior to any other machines in the market. When exhibited they have always received the highest commendation. Two gold medals have been awarded. Six patents have been granted to secure the improvements on these machines.

All sizes constantly for sale, by JAMES A. WOODBURY, 69 Sudbury street, Boston.

### DECK'S PATENT DROP PRESS.

ALL sizes, used for stamping copper or tin wire, ornamental spoons, &c., and for forging gun work, lock work, carriage clips, &c. Also power and foot punching presses, and oval die chucks. Manufactured by MILO PECK & CO., 3 Whitney avenue, New Haven, Conn.

### CORLISS' PATENT STEAM ENGINES.

About 250, most of them from 40 to 400 horse power. Double-acting Balance Valve Oscillating Steam Engines both stationary and portable. Known as Patent Muley, Portable, Gang and Re-sawing Mills, Sugar and Chinese Cane Mills and Sugar

## INDEX.

## Illustrations.

## A

Apple Farer, (Whitemore,) 260.  
Axle Box, (Biller,) 241.  
Axle Bearing, R. R., (Allen,) 316.

## B

Bag Fastener, (Maxson,) 78.  
Bale Band Fastening, (Ingersoll,) 332.  
Barrel Machine, (Matterson,) 169.  
Barometer for Farmers, 52.  
Bee Stand, 156.  
Bit Holder, (Hill & Adams,) 172.  
Blind, Window, (Cochran,) 132.  
Bolt, Lever Locking for Doors, 100.  
Boiling Reel, (Woodville,) 384.  
Boot Crimp, (Willmot,) 73.  
Boring and Mortising Machine, (Kittinger,) 97.  
Boring Machine, (Bosenbury,) 220.  
Bottle Washer, (DeGraw,) 36.  
Bottle Faucet, (Cronk,) 392.  
Bottles, Screw Neck, 184, 211.  
Box for Carriage Hubs, (Garratt,) 76.  
Brake, Car, (Brauer,) 244.  
Brake, Car (Solomon,) 312.  
Bridge, (Durden,) 376.  
Brick Machines, (Jayne,) 81.  
Brick Machines, (Carmel,) 257.  
Brick Machines, (Wagner,) 276.  
Buggy, (Lucas,) 332.  
Burners, Gas (Gates,) 64.

## C

Cane, Omnibus (Francis,) 244.  
Carpet Fastening, (Schroeder,) 32.  
Carpet Fastening, (Thayer,) 376.  
Carpet Stretcher, (Tyler,) 16.  
Carriage Tops, (Jennings,) 28.  
Carriage, Timber, (Gilbert,) 72.  
Cars, Top for (Potts,) 44.  
Car Seat and Couch, (Moyer,) 377.  
Car Wheel, (Pugh,) 404.  
Cartridge, (Morton,) 382.  
Cases, Cleaning 92.  
Chain Machine, (Sleepy,) 17.  
Chair, R. R. 108.  
Clothes Dryer, (Merrill,) 292.  
Club, Policeman's (McLarty,) 100.  
Coin Balance, (Harper,) 200.  
Collecting the Excrements of Towns, 140.  
Condensers for Steam Engines, (Miller) 153.  
Cooler for Liquids, (Mossenger & Rehahn,) 92.  
Cooler for Brewers, (Wood,) 289.  
Corn Planter, (Bocklan & Bossert,) 216.  
Corn Planter, (Mosler,) 236.  
Cotton Gin, (Gullett,) 248.  
Cotton Picker, 250.  
Coupling, Car, (Frosser,) 64.  
Coupling, Car, (Eague,) 187.  
Coupling, Car (Loane,) 352.  
Coyzing, Pipe (Hudgin,) 312.  
Coupling, Belt (Smith,) 344.  
Coupling, Perch (Lord,) 369.  
Crampon for Horses, 192.  
Cushion for Billiard Tables, (Phelan,) 176.  
Cut-off for Steam Engines, (Crosby,) 187.  
Cut-off and Governor Valve, (Mackintosh, & Wadsworth,) 401.  
Cutting Apparatus for Reapers, (Hussey,) 355, 362.

## D

Damper for Furnace Flues, (Barrows,) 308.  
Drafting Instruments for Tailors, 225.  
Dynamometer, (Leonard,) 41.  
Dynamometer, (Gibbs,) 364.

## E

Egg Beater, (Heich,) 200.  
Engine, Hot Air (Ericsson,) 268.  
Engine, Rotary 273.  
Engine, Steam Fire (Sisley, Myners & Co.) 297.  
Engine Notary, (Root,) 313.  
Engines and Pump, (Sprinkel & Bassford,) 345.

## F

Feed for Print Mills, (Dolson,) 89.  
Fellies, Machine for Sawing (Vaugan,) 48.  
Fence, (Stannard,) 168.  
Fence, (Hoge,) 264.  
Filter for Cisterns, 104.  
Fire Protector, (Odon,) 80.  
Flour Bolt, (Geb,) 217.  
Fluids, Heating 112.

## G

Fruit Gatherer, (Duty,) 329.  
Fruit Gatherer, (Goodwin,) 386.  
Furnace, Feeding 216.  
Furnace, Bagasse (Kelly,) 308.  
Furnace, Hot Air (Ingersoll,) 300.

## H

Gage, Leakage Alarm (Massey,) 32.  
Gage, (Bryant,) 24.  
Gage, Magnetic Steam (Lowe & Barnum,) 309.  
Gas Works, (Aubin,) 212.  
Gas Apparatus, (Hoek,) 296.  
Gate, Automatic (Smart,) 180.  
Gate, Automatic (Howard,) 232.  
Gold Washer and Ore Separator, (Barnard,) 348.  
Governor for Horse Powers, (Pusey,) 353.  
Grater, Nutmeg (Ames,) 84.  
Grain Cleaner, (Gates,) 28.  
Grain Cleaner, (Vandergrift,) 360.

## I

Harness Tree (Dempsey,) 204.  
Harness Tree (Kuhmold & Sturges,) 308.

Harvester, (Howarth,) 68.  
Harvester, (Willard & Ross,) 156.

Harvester, (Patterson,) 164.

Harvester, Corn (Adair,) 329.

Harvester, Corn and Cane (Bonwell,) 404.

Heater for Boilers, (Hoadley,) 297.

Heater, Hot Water (Hedenburg,) 316.

Hominy Machine, (Mayhew,) 12.

Holder for Sad Irons, (Londinsky,) 272.

Hot Water Apparatus, (Brown,) 281.

Hub Turning Machine, (Eames,) 292.

Hub Mortising Machine, (Eames,) 292.

Huller, Cotton Seed (Fee,) 32.

Husking Machine, (Bachman,) 20.

Husking Machine, (Hurst,) 241.

Husking Machine, (Smith,) 393.

Husker and Feed Cutter, (Bryson,) 337.

Husking and Shelling Glove, (Cohen,) 176.

Hydrant, (Race & Matthews,) 240.

Hydrant, (Blany,) 356 \*

I

Inkstand (Robjohn,) 160.

J

Journal Box, (Deckerick,) 332.

L

Lamp, Submarine 112.

Lantern, (Richards,) 192.

Lathe, Centering (Henderson & Steele,) 409.

Leather to cut it a cone drum, 286.

Lock, Bank (Isham,) 25.

Locomotive, European 136.

Locomotive, Co 1 Burner, (Hartnett,) 324.

Loss of the "Ava," 328.

Lubricator, 84.

Lubricator, (Custer,) 184.

M

Match Safe, (Creamer,) 224.

Metal Bars, securing (McKibben,) 384.

Meter, Water (Cochran,) 1.

Mill, Corn (Stout,) 9.

Mill, Sugar (Dakes,) 321.

Millstone Dress, (Natcho,) 328.

Mortising and Boring Machine, (Jay,) 233.

Motion, Transmitting (Kaeffer,) 40.

Mowing Machine, (Nashwitz,) 288.

N

Nail Machine Feeder, (Sherwood,) 249.

O

Ore Washer, (Pauli,) 185.

P

Paddle Wheel, (Fisher,) 36.

Pea Sheller, (Stevenson,) 1 fig. 272.

Perpetual Motion, 62.

Pin, Diaper (Helman,) 66.

Piping, Lead, Manufacture of 76.

Pipe Joint, (Kahnweiler,) 404.

Pitchers, Ice (Smith,) 352.

Planing Machines, (Whitney,) 65.

Planing Machines, (Darby & Young,) 105.

Planing and Slotting Machines, (Bartron,) 220.

Potato Rot, 408.

Planers, Cutery (Baker,) 209.

Planers, Cutter stock for (Mason,) 265.

Plow, Drain (Rutt,) 60.

Plow, (Loomy,) 108.

Plow, (Sharp,) 164.

Plow, (Dennis,) 256.

Plow, (Van Loan,) 256.

Plow, (Sanford,) 284.

Plumb and Level Indicators, (Rowe,) 248.

Potato Digger, (Hardenburgh,) 340.

Press, Cotton (Witting,) 193.

Press, Cotton (Boys,) 201.

Press, Cotton (Disbrow,) 232.

Press, Cotton (Penniston,) 244.

Press, Cotton (Bocage,) 300.

Press, Job Printing (Sabcock,) 385.

Printing Machine, (Francis,) 324.

Propulsion, New Method of (Wel-

more,) 14.

Pump, (Adams,) 49.

Pump, (Rainsden,) 60.

Pump, (Sutton,) 177.

Pump, (Shedden,) 252.

Pump, (Underwood,) 273.

Pump, (Race & Matthews,) 276.

Pump, (Harrison,) 364.

Pump, (Barnum,) 372.

Q

Quilting Frame, (Brown,) 388.

R

Railway, Elastic Iron (Beers,) 196.

Rake, Head (Hotchkiss,) 94.

Reaper and Mower, (Ray,) 4.

Ring Bolt, (Devins,) 348.

Ring, Carpenters' (Stephens,) 304.

S

Salinometer, 184.

Sash Supporter, (Baker,) 76.

Sausage Machine, (Swift,) 360.

Saws, Setting and Sharpening (Hoe-

& Co.) 16.

Saws, Tenon (Harrison,) 33.

Saws, Scroll (Lawton,) 116.

Saw Mill, Feed for (Lund,) 52.

Saw Mill, (Ferry,) 260.

Saw Filer, (Andrews,) 100.

Saw Gummier, (Elmer,) 321.

Saw Bench, (Wardwell,) 398.

Sawing Machine, (Wilson,) 4.

Sawing Machine, (Batchelder,) 225.

Sawing Machine, (Bartholemew,) 305.

"Science in Sport," 128, 136, 144,

Chicory, Cultivation of 262.

152, 160, 168, 176, 184, 192, 200,

208, 216, 224, 232, 240, 248.

Seytho, Folding 151.

Seed Planters, (Gould & Flanders,) 44.

Seed Planters, (Willard,) 48.

Seed Roller, (Thompson,) 288.

Sewing Machine, Feed for (Andrews)

92.

Shade Fixtures, (Schleir,) 172.

Shafts, and Pole for Carriages, (Mitchell,) 280.

Shafts, Attaching to Vehicles (Boyce)

332.

Sheep Shearing Machine, (Jenkins)

129.

Shingle Machine, (Smith) 113.

Ships, Building (Reeves,) 236.

Signal Lights, (Potts,) 100.

Signals, R. R. 120.

Smut Machine, (Woodward,) 144.

Smut Machine, (Donehoo,) 380.

Smutter and Grain Separator, (Turner,) 146.

Smutter and Grain Separator, (Kelly & Frost,) 356.

Socks for Bolts, (Callender,) 52.

Spikes, Clinching (Bales,)

- Boats Ferry 98  
 Boats, Ice Breaking 107  
 Boats, Lowering and Detaching 230  
 Boats, Metallic 234  
 Boats, Canal 370, 402  
 Boat Frames 299  
 Boilers, Steam 34, 58, 114, 122, 219, 239, (2), 259, 282, 306, 354, 379  
 Boilers, Locomotive 43, 275  
 Boilers, for Heating Buildings 98  
 Boilers, Supplying Water to 210  
 Boilers, Safety Apparatus for 218  
 Boilers, Rotary Heating 330  
 Bolster for Table Knives 146  
 Bolt for Safes 10  
 Bolt Locket 18  
 Bolt Machine 74, 210, 410  
 Bolt, Flour 90  
 Bolt, Threading Machine 106  
 Bolt, Door 251  
 Bolt for Brackets 234  
 Bolt, Spring 370  
 Bolting, Dusting and Separating Machine 251  
 Bomb Shell 60  
 Bomb Lance, Wings of 114  
 Bonnet Frame 175, 268  
 Bonnet Pressing Machine 365  
 Books, Turning Leaves of 180  
 Books, Trimming 230  
 Boot Tops, Trimming 258  
 Boot Fronts, Cutting 378  
 Boot Blacking Machine 164  
 Boot Jack 299  
 Boot Jack and Burglar's Alarm 260  
 Boots and Shoes Lasting 10  
 Boots and Shoes, Uppers of 34, 82  
 Boots and Shoes, Waterproof 82, 178  
 Boots and Shoes, Metal Tips for 146  
 Boots and Shoes, Attaching Rubber Sole to 186  
 Boots and Shoes, Cutting Heels of 219, 370  
 Boots and Shoes, Cutting Soles of 370  
 Boring Machine 42, 122, 354  
 Bottle Washer 2, 275  
 Bottle Stopper 186, 354, 355  
 Boxes, Turning Wooden 90  
 Boxes, Car 154, 186, 235  
 Boxes, Paper 178  
 Boxes, Money for Carriages 202, 203, 288  
 Boxes, Dumping 230  
 Boxes, Carriage 243  
 Boxes, Ballot 298  
 Bracket, Shelf 51, 55  
 Brad, Punch 347  
 Brakes, Car 10, 66, 146, 162, 174, (2), 178, 213, 219, 234, 242, 243, 258, 290, 306, 307, 314, 315, 347, 379, 386  
 Brakes, Hemp 34, 90, 178, 362, 410  
 Brakes, Wagon 50, 154, 322  
 Brakes, Car, Rubber for 58  
 Brakes, Automatic 98  
 Brakes, Magnetic 162  
 Brakes, Slatine 314  
 Brakes for Hand Trucks 394  
 Brain Duster 378  
 Breakwater Frames 275  
 Brick Machines 10, 18, 42, 90, 178, 194, 203, 242, 275, (2), 330, 338, 379, 402  
 Bricks, Burning 186  
 Bricks, Making 314  
 Bridges 18, 314, 402  
 Bridges, Trussed 27, 74  
 Bridges, Truss Frames for 251  
 Bridges, Constructing 219  
 Bridges, Bearing Blocks for 378  
 Broiling and Toasting Apparatus 410  
 Brooms, Making 107, 146, 174  
 Broom Splints 259  
 Brouzing Liquid 42  
 Brushes 290  
 Brushes, Making 66  
 Brushes, Tooth 90  
 Brushes, Whitewash 314  
 Brush Blocks 203  
 Bucket, Hoisting 74  
 Bucket, Coal Dumping 363  
 Bucket Raft, Life Preserving 266  
 Buckles, Harness 82, 290, 378  
 Buildings, Protecting from Fire 34  
 Bullet Machine 82  
 Bullet Mold 195  
 Bung Cutter 34  
 Buoy, Life and Treasure 114, 230, 274  
 Bureau and Washstand 154  
 Burners, Gas 27, 34, 234, 259, 331, (2), 338, 386, (2), 403  
 Burners for Vapor Lamps 58, 282, 290, 298, (2), 306, 322, 379, 395, 410  
 Burners and Tubes for Vapor Lamps 371  
 Burning Fluid 390  
 Burnisher 266, 411  
 Butter Tucked 66, 90, 154, 379, 387  
 Butter Bucket 403  
 Buttons 162  
 Button Hole Cutter 338  
 Button Fastening 346  
**C**  
 Cabinet for Sewing Machines 339  
 Cables, Telegraph 162, 178  
 Cans, Sealing 2  
 Cans, Oil 138  
 Cane, Instrument for Opening 146  
 Cans, Preserve 290 (2), 322, 346, 386  
 Can Covers (Design) 387  
 Cane Planters 106  
 Cane, Ombiaus 242  
 Candy Machine 74, 290  
 Candlesticks 82  
 Cannon, Breech Loading 331  
 Caoutchouc, Treatment of 394  
 Caps, Chimney 2  
 Caps for Nail Heads 42  
 Caps, for Bottles, &c. 66, 322  
 Cap Waste, Pickling 339  
 Capstans, Ships 275  
 Cars, Scaling R. R. 50  
 Cars, Dumping 106  
 Cars, Propelling by Horse Power 106  
 Cars, Ventilating 282  
 Cars, Night 286, 386 (2)  
 Cars, Safety Attachment for 296  
 Cars, Preventing from Running off the Track 338  
 Cars, Replacing on the Track 339  
 Cars, Running Gear for 410  
 Car Seats, Cushions for 274  
 Car Box Cases and Pedestals 362  
 Car Wheels, Casting 130  
 Carts, Weighing 243  
 Cards, Currying 186  
 Card Plates for Trunks 296  
 Carding Machines 50, 90, 208  
 Carding Machines, Cleaning top Cards of 106, 114  
 Carding Cylinders, Clothing for 218  
 Carpet Fastener 90, 162, 306  
 Carpet Stretcher 178, 219, 411  
 Carpet Beater 208  
 Carpet Holder 251  
 Carpet Cleaner 403  
 Carpet Sweeper 403  
 Carriage Tops, Adjusting 2  
 Carriage Tops, Joints of 74, 138  
 Carriage Tops 154  
 Carriages for Children 378  
 Carriages, Wear Iron for 10  
 Carriages, Fastening Shafts to 50, 154  
 Castor and Fan, Automatic 58  
 Castor, Bottle 106  
 Castors, Furniture 132, 194, 274  
 Castor, Syrup 250, 283  
 Cartridges 10, 18, 346, 410  
 Cartridge Case 290  
 Carving, Wood 130  
 Ceilings, Fire Proof 254  
 Cement for Leather, Waterproof 378  
 Cerotography, Feed Motion for 403  
 Chain Machine 58, 154, 370  
 Chains, Sheet Metal 282  
 Chain for Jewelry 210  
 Chains for Threshing Machines 363  
 Chairs, R. R. 66, 162, 186, 315 (2), 338, 354, 365  
 Chairs, Folding 50  
 Chairs, Ventilating 98  
 Chairs, Rotary 99, 194  
 Chairs, Portable 114  
 Chairs, Dental 146  
 Chairs, Rocking 194, 362  
 Chairs, Reclining 290  
 Chairs, Blast Producing 315  
 Chairs, Obstetrical 410  
 Chair Rails 355  
 Chair Backs 368  
 Charcoal, Converting Peats into 347  
 Check Canceller 196  
 Cheese Hoops, Metallic 234  
 Cheesevat 339  
 Cherries, Stoning 210  
 Chisels, Wind Guard for 394  
 Chisel, Mortising 10  
 Choppers, Meat 234, 298  
 Chucks for Centering 386  
 Churns 10, 50, 98, 114, 120, (2), 146, 162, 186, 194, 195, 242, 250, 266, 274, 275, 290, 300, 330, 346, 347, 354 (2), 362 (2), 378, 402, 403  
 Churn Dasher 50  
 Cigars 242  
 Cigar Machine 194  
 Cigar Lighters 96, 218, 284  
 Clamp Saw 2, 138  
 Clamp for Centering Hubs 82  
 Clamp, Clothes 90  
 Clamp for Curling Hair 178  
 Clamp for Holding Wood 186  
 Clamp for Engravers 346  
 Clamp Floor 363  
 Choppers for Centering 386  
 Clamping Apparatus 234  
 Clamp for Metallic Hoops 106, 235  
 Clocks 130  
 Clocks, Calendar 90, 210  
 Clocks, Alarm 354, 365  
 Clock Case (Design) 43, 51, 59, 131, 283  
 Closets, Milk 378  
 Cloth, Elastic Gores 118  
 Cloth, Sheaving 107  
 Cloth, Turning down the edges of 274  
 Clothes Wringers 106 (2), 315, 379  
 Clothes Racks 120, 154, 394  
 Clothes Dryers 242, 362, 370, 379  
 Clothes Pins 307  
 Clothes Frames 320, 346, 370  
 Clothes Horse 403  
 Coal Breaker 66, 210  
 Coal, Slating 98, 242  
 Coal Splitter, 202  
 Coal, Hoisting and Dumping 258  
 Cocks, Spring Valve 122, 306  
 Cocks, Supply 146  
 Cock, Steam 403, 410  
 Coffee Cleaner 74, 362  
 Coffee Roaster 250  
 Coffee and Tea Pots 242, 395  
 Coffee Apparatus for Making 386  
 Collins 210, 275  
 Combs, Curry 42, 174  
 Composition for Covering Meats 34  
 Composition for Miniature Cases, &c. 410  
 Compass Stand 203  
 Condensers for List Speeders 2  
 Condensers, Surface 122  
 Condensers for Steam Engines 305  
 Conduits 146  
 Coolers 27  
 Coolers, Butter 363  
 Coolers for Breweries 18 (2)  
 Cooking Utensil, Cast Iron 266  
 Cooking Range and Gas Generator 274  
 Cord, Plated 218  
 Cordage Machine 74  
 Cordage, Braiding 346 (2)  
 Core Spindles for Casting 59  
 Cores, Dry Sand 138  
 Cork Sole Stuff 34  
 Cork Cutter 354 (2)  
 Corn Shellers 10, 34, 242, 250, 255, 266, 298, 402, 410  
 Cotton Gins 146, 154, 186, 202 (2), 219, 234, 274, 275 (2), 290, 347, 363  
 Cotton Gins, Feeder for 50  
 Cotton, Drawing 196  
 Coupling, Car 10, 138, 146 (2), 174 (2), 234, 242, 258, 282, 298, 307, 338, 364, 378, 410  
 Coupling, Car, Buffer Heads for 274  
 Coupling, Pipe 2, 260, 346  
 Coupling for Sharpening 50, 251, 338  
 Coupling, Pump 274  
 Coupling, Belt 234  
 Coupling, Hose 323  
 Coupling for Horse Cars 379  
 Coupling Catchers for Locomotives 42  
 Cracker Machine 330  
 Cradles, Grain 58, 230  
 Cradles, Spring Rocking 298  
 Cradles and Rocking Chair 307  
 Crank, Substitute for 386  
 Creeper 154  
 Cribs for Stables 34  
 Crimp, Boot 162  
 Cues, Billiard 203  
 Cultivators 44, 66 (2), 98, 106 (2), 403  
 Carpet Fastener 90, 162, 306  
 Carpet Stretcher 178, 219, 411  
 Carpet Holder 251  
 Carpet Cleaner 403  
 Carpet Sweeper 403  
 Carriage Tops, Adjusting 2  
 Carriage Tops, Joints of 74, 138  
 Carriage Tops 154  
 Carriages for Children 378  
 Carriages, Wear Iron for 10  
 Carriages, Fastening Shafts to 50, 154  
 Castor and Fan, Automatic 58  
 Castor, Bottle 106  
 Castors, Furniture 132, 194, 274  
 Castor, Syrup 250, 283  
 Cartridges 10, 18, 346, 410  
 Cartridge Case 290  
 Carving, Wood 130  
 Ceilings, Fire Proof 254  
 Cement for Leather, Waterproof 378  
 Cerotography, Feed Motion for 403  
 Chain Machine 58, 154, 370  
 Chains, Sheet Metal 282  
 Chain for Jewelry 210  
 Chairs, Portable 114  
 Chairs, Dental 146  
 Chairs, Rocking 194, 362  
 Chairs, Reclining 290  
 Chairs, Blast Producing 315  
 Chairs, Obstetrical 410  
 Chair Rails 355  
 Chair Backs 368  
 Charcoal, Converting Peats into 347  
 Check Canceller 196  
 Cheese Hoops, Metallic 234  
 Cheesewat 339  
 Cherries, Stoning 210  
 Chisels, Wind Guard for 394  
 Chisel, Mortising 10  
 Choppers, Meat 234, 298  
 Chucks for Centering 386  
 Clamping Apparatus 234  
 Clamp for Metallic Hoops 106, 235  
 Clocks 130  
 Clocks, Calendar 90, 210  
 Clocks, Alarm 354, 365  
 Clock Case (Design) 43, 51, 59, 131, 283  
 Closets, Milk 378  
 Cloth, Elastic Gores 118  
 Cloth, Sheaving 107  
 Cloth, Turning down the edges of 274  
 Clothes Wringers 106 (2), 315, 379  
 Clothes Racks 120, 154, 394  
 Clothes Dryers 242, 362, 370, 379  
 Clothes Pins 307  
 Clothes Frames 320, 346, 370  
 Clothes Horse 403  
 Coal Breaker 66, 210  
 Coal, Slating 98, 242  
 Coal Splitter, 202  
 Coal, Hoisting and Dumping 258  
 Cocks, Spring Valve 122, 306  
 Cocks, Supply 146  
 Cock, Steam 403, 410  
 Coffee Cleaner 74, 362  
 Coffee Roaster 250  
 Coffee and Tea Pots 242, 395  
 Coffee Apparatus for Making 386  
 Collins 210, 275  
 Combs, Curry 42, 174  
 Composition for Covering Meats 34  
 Composition for Miniature Cases, &c. 410  
 Compass Stand 203  
 Condensers for List Speeders 2  
 Condensers, Surface 122  
 Condensers for Steam Engines 305  
 Conduits 146  
 Coolers 27  
 Coolers, Butter 363  
 Coolers for Breweries 18 (2)  
 Cooking Utensil, Cast Iron 266  
 Cooking Range and Gas Generator 274  
 Cord, Plated 218  
 Cordage Machine 74  
 Cordage, Braiding 346 (2)  
 Core Spindles for Casting 59  
 Cores, Dry Sand 138  
 Cork Sole Stuff 34  
 Cork Cutter 354 (2)  
 Corn Shellers 10, 34, 242, 250, 255, 266, 298, 402, 410  
 Cotton Gins 146, 154, 186, 202 (2), 219, 234, 274, 275 (2), 290, 347, 363  
 Cotton Gins, Feeder for 50  
 Cotton, Drawing 196  
 Coupling, Car 10, 138, 146 (2), 174 (2), 234, 242, 258, 282, 298, 307, 338, 364, 378, 410  
 Coupling, Car, Buffer Heads for 274  
 Coupling, Pipe 2, 260, 346  
 Coupling for Sharpening 50, 251, 338  
 Coupling, Pump 274  
 Coupling, Belt 234  
 Coupling, Hose 323  
 Coupling for Horse Cars 379  
 Coupling Catchers for Locomotives 42  
 Cracker Machine 330  
 Cradles, Grain 58, 230  
 Cradles, Spring Rocking 298  
 Cradles and Rocking Chair 307  
 Crank, Substitute for 386  
 Creeper 154  
 Cribs for Stables 34  
 Crimp, Boot 162  
 Cues, Billiard 203  
 Cultivators 44, 66 (2), 98, 106 (2), 403  
 Carpet Fastener 90, 162, 306  
 Carpet Stretcher 178, 219, 411  
 Carpet Holder 251  
 Carpet Cleaner 403  
 Carpet Sweeper 403  
 Carriage Tops, Adjusting 2  
 Carriage Tops, Joints of 74, 138  
 Carriage Tops 154  
 Carriages for Children 378  
 Carriages, Wear Iron for 10  
 Carriages, Fastening Shafts to 50, 154  
 Castor and Fan, Automatic 58  
 Castor, Bottle 106  
 Castors, Furniture 132, 194, 274  
 Castor, Syrup 250, 283  
 Cartridges 10, 18, 346, 410  
 Cartridge Case 290  
 Carving, Wood 130  
 Ceilings, Fire Proof 254  
 Cement for Leather, Waterproof 378  
 Cerotography, Feed Motion for 403  
 Chain Machine 58, 154, 370  
 Chains, Sheet Metal 282  
 Chain for Jewelry 210  
 Chairs, Portable 114  
 Chairs, Dental 146  
 Chairs, Rocking 194, 362  
 Chairs, Reclining 290  
 Chairs, Blast Producing 315  
 Chairs, Obstetrical 410  
 Chair Rails 355  
 Chair Backs 368  
 Charcoal, Converting Peats into 347  
 Check Canceller 196  
 Cheese Hoops, Metallic 234  
 Cheesewat 339  
 Cherries, Stoning 210  
 Chisels, Wind Guard for 394  
 Chisel, Mortising 10  
 Choppers, Meat 234, 298  
 Chucks for Centering 386  
 Clamping Apparatus 234  
 Clamp for Metallic Hoops 106, 235  
 Clocks 130  
 Clocks, Calendar 90, 210  
 Clocks, Alarm 354, 365  
 Clock Case (Design) 43, 51, 59, 131, 283  
 Closets, Milk 378  
 Cloth, Elastic Gores 118  
 Cloth, Sheaving 107  
 Cloth, Turning down the edges of 274  
 Clothes Wringers 106 (2), 315, 379  
 Clothes Racks 120, 154, 394  
 Clothes Dryers 242, 362, 370, 379  
 Clothes Pins 307  
 Clothes Frames 320, 346, 370  
 Clothes Horse 403  
 Coal Breaker 66, 210  
 Coal, Slating 98, 242  
 Coal Splitter, 202  
 Coal, Hoisting and Dumping 258  
 Cocks, Spring Valve 122, 306  
 Cocks, Supply 146  
 Cock, Steam 403, 410  
 Coffee Cleaner 74, 362  
 Coffee Roaster 250  
 Coffee and Tea Pots 242, 395  
 Coffee Apparatus for Making 386  
 Collins 210, 275  
 Combs, Curry 42, 174  
 Composition for Covering Meats 34  
 Composition for Miniature Cases, &c. 410  
 Compass Stand 203  
 Condensers for List Speeders 2  
 Condensers, Surface 122  
 Condensers for Steam Engines 305  
 Conduits 146  
 Coolers 27  
 Coolers, Butter 363  
 Coolers for Breweries 18 (2)  
 Cooking Utensil, Cast Iron 266  
 Cooking Range and Gas Generator 274  
 Cord, Plated 218  
 Cordage Machine 74  
 Cordage, Braiding 346 (2)  
 Core Spindles for Casting 59  
 Cores, Dry Sand 138  
 Cork Sole Stuff 34  
 Cork Cutter 354 (2)  
 Corn Shellers 10, 34, 242, 250, 255, 266, 298, 402, 410  
 Cotton Gins 146, 154, 186, 202 (2), 219, 234, 274, 275 (2), 290, 347, 363  
 Cotton Gins, Feeder for 50  
 Cotton, Drawing 196  
 Coupling, Car 10, 138, 146 (2), 174 (2), 234, 242, 258, 282, 298, 307, 338, 364, 378, 410  
 Coupling, Car, Buffer Heads for 274  
 Coupling, Pipe 2, 260, 346  
 Coupling for Sharpening 50, 251, 338  
 Coupling, Pump 274  
 Coupling, Belt 234  
 Coupling, Hose 323  
 Coupling for Horse Cars 379  
 Coupling Catchers for Locomotives 42  
 Cracker Machine 330  
 Cradles, Grain 58, 230  
 Cradles, Spring Rocking 298  
 Cradles and Rocking Chair 307  
 Crank, Substitute for 386  
 Creeper 154  
 Cribs for Stables 34  
 Crimp, Boot 162  
 Cues, Billiard 203  
 Cultivators 44, 66 (2), 98, 106 (2), 403  
 Carpet Fastener 90, 162, 306  
 Carpet Stretcher 178, 219, 411  
 Carpet Holder 251  
 Carpet Cleaner 403  
 Carpet Sweeper 403  
 Carriage Tops, Adjusting 2  
 Carriage Tops, Joints of 74, 138  
 Carriage Tops 154  
 Carriages for Children 378  
 Carriages, Wear Iron for 10  
 Carriages, Fastening Shafts to 50, 154  
 Castor and Fan, Automatic 58  
 Castor, Bottle 106  
 Castors, Furniture 132, 194, 274  
 Castor, Syrup 250, 283  
 Cartridges 10, 18, 346, 410  
 Cartridge Case 290  
 Carving, Wood 130  
 Ceilings, Fire Proof 254  
 Cement for Leather, Waterproof 378  
 Cerotography, Feed Motion for 403  
 Chain Machine 58, 154, 370  
 Chains, Sheet Metal 282  
 Chain for Jewelry 210  
 Chairs, Portable 114  
 Chairs, Dental 146  
 Chairs, Rocking 194, 362  
 Chairs, Reclining 290  
 Chairs, Blast Producing 315  
 Chairs, Obstetrical 410  
 Chair Rails 355  
 Chair Backs 368  
 Charcoal, Converting Peats into 347  
 Check Canceller 196  
 Cheese Hoops, Metallic 234  
 Cheesewat 339  
 Cherries, Stoning 210  
 Chisels, Wind Guard for 394  
 Chisel, Mortising 10  
 Choppers, Meat 234, 298  
 Chucks for Centering 386  
 Clamping Apparatus 234  
 Clamp for Metallic Hoops 106, 235  
 Clocks 130  
 Clocks, Calendar 90, 210  
 Clocks, Alarm 354, 365  
 Clock Case (Design) 43, 51, 59, 131, 283  
 Closets, Milk 378  
 Cloth, Elastic Gores 118  
 Cloth, Sheaving 107  
 Cloth, Turning down the edges of 274  
 Clothes Wringers 106 (2), 315, 379  
 Clothes Racks 120, 154, 394  
 Clothes Dryers 242, 362, 370, 379  
 Clothes Pins 307  
 Clothes Frames 320, 346, 370  
 Clothes Horse 403  
 Coal Breaker 66, 210  
 Coal, Slating 98, 242  
 Coal Splitter, 202  
 Coal, Hoisting and Dumping 258  
 Cocks, Spring Valve 122, 306  
 Cocks, Supply 146  
 Cock, Steam 403, 410  
 Coffee Cleaner 74, 362  
 Coffee Roaster 250  
 Coffee and Tea Pots 242, 395  
 Coffee



